

#### A.A. 2021-2022

# Corso di Laurea Magistrale in GEOSCIENZE

## Metodi Elettromagnetici in Geofisica (6 CFU) - MEMAG -

# <u>UD-2B</u>: EM induction, conduction and polarization

#### Docente: Emanuele Forte

Tel. 040/5582271-2274

e-mail: eforte@units.it



#### **EM waves in geologic materials**

The previously discussed equations (in this form strictly valid only when material properties are assumed isotropic, frequency-independent and linear) can be simplified by considering SPECIFIC FREQUENCY RANGES.

$$\nabla \times \nabla \times E + \left(\mu \sigma \frac{\partial E}{\partial t} + \mu \varepsilon \frac{\partial^2 E}{\partial t^2}\right) = 0 \quad \nabla \times \nabla \times H + \mu \sigma \frac{\partial H}{\partial t} + \mu \varepsilon \frac{\partial^2 H}{\partial t^2} = 0$$

$$A \qquad B \qquad C$$

The relative importance of each term can be estimated by the ratios:

$$\frac{\left|\frac{B}{A}\right|}{A} \approx \mu \sigma \frac{\Delta x^2}{\Delta t}$$
and for a low loss environment we should have
$$\frac{\left|\frac{B}{A}\right|}{A} \ll \left|\frac{C}{A}\right| \text{ so: } \left|\frac{B}{C}\right|$$

$$\frac{\left|\frac{C}{A}\right|}{\Delta t^2}$$

The solution of ABC eq., when reduced in the scalar form: with  $\beta = \mathbf{r} \cdot \mathbf{k}$ 

$$\frac{\partial^2}{\partial \beta^2} f(\beta, t) - \mu \sigma \frac{\partial}{\partial t} f(\beta, t) - \mu \varepsilon \frac{\partial^2}{\partial t^2} f(\beta, t) = 0$$


IID2R

Is approximated by perturbing our wave solution by defining:  $f(\beta,t) = p_1(\beta \pm vt)p_2(\beta)$ where  $p_1$  is a solution in the zero loss case, namely

$$\frac{\partial^2 p_1}{\partial \beta^2} = \mu \varepsilon \frac{\partial^2 p_1}{\partial t^2}, \qquad p_2(\beta) = e^{\pm \alpha \beta} \qquad \Rightarrow \qquad \alpha = \frac{\mu \sigma v}{2} \quad \text{MEMAG A.A. 2021-2022}$$



#### **EM** waves in geologic materials




**Figure 6.** A function of the form  $f(\beta \pm vt)$  represents an event which moves spatially at a velocity *v*. Such functions are solutions to the scalar wave equation.

More realistic solutions are damped waves:

IJD2B

$$f(\boldsymbol{\beta},t) = p_1(\boldsymbol{\beta} \pm vt)e^{\pm \alpha \boldsymbol{\beta}}$$



**Figure 7.** EM fields propagate as spatially damped waves when electrical losses are small. The signal amplitude decays exponentially in the direction of field translation while the field shape remains invariant.

Damped waves decay esponentially in the direction the waves are travelling, being  $\alpha$  the attenuation coefficient and  $\beta$  the phase constant.

They can be combined into the **PROPAGATION CONSTANT or WAVENUMBER** "k" as:

 $ik = \alpha + i\beta$  (notice that it is complex in the general case – conductive dielectric!) MEMAG A.A. 2021-2022 3



#### **EM waves in geologic materials**

The propagation constant is related to the electrical properties of the materials by the relation:

$$k = \sqrt{\omega^2 \varepsilon \mu} + i \omega \mu \sigma$$

For low loss materials,  $\omega\mu\sigma\ll\omega^{2}\varepsilon\mu$  or  $\frac{\sigma}{\omega\varepsilon}\ll1$  (Low loss criterion)

The parameters  $\alpha$  and  $\beta$  can be related to  $\epsilon, \sigma$  and  $\mu$  giving the following expressions:

$$\alpha = \omega \sqrt{\left[\frac{\mu \varepsilon'}{2} \sqrt{1 + \left(\frac{\varepsilon''}{\varepsilon'}\right)^2} - 1\right]} \qquad \beta = \omega \sqrt{\left[\frac{\mu \varepsilon'}{2} \sqrt{1 + \left(\frac{\varepsilon''}{\varepsilon'}\right)^2} + 1\right]}$$

In which The dimensionless factor  $\frac{\varepsilon}{\varepsilon}$  is often referred as "loss tangent" (tan $\delta$ ) and for general

lossy materials is frequency dependent and equal to:

$$\tan \delta = \frac{\sigma' + \omega \varepsilon'}{\omega \varepsilon' - \sigma''}$$

An interesting approximation of this formula is given by:  $\tan \delta = \underbrace{\frac{\sigma_{DC}}{\omega \varepsilon_0 \varepsilon_r}}_{CONDUCTION \ LOSSES}$ DIPOLAR LOSSED



#### **Conduction in geologic materials**

$$\nabla \times \nabla \times E + \mu \sigma \frac{\partial E}{\partial t} + \mu \varepsilon \frac{\partial^2 E}{\partial t^2} = 0$$

$$A \qquad B \qquad C$$


We already pointed out the physical meaning of different terms in the ABC equation (as well as of its corresponding one related to the magnetic field). When the fields are sinusoidal in time, it reduces into:

 $\nabla \times \nabla \times \mathbf{E} - i\omega\mu\sigma\mathbf{E} - \omega^2\varepsilon\mu\mathbf{E} = 0$ 

For LOW FREQUENCY (f<10<sup>5</sup>Hz)  $\rightarrow \omega^2 \epsilon \mu < \omega \mu \sigma$  so:



For HIGH FREQUENCY (f>10<sup>7</sup>Hz) and/or  $\sigma \equiv 0 \rightarrow \omega^2 \epsilon \mu > \omega \mu \sigma$  so:






#### **Conduction in geologic materials**

In rocks and soils there are 3 conduction mechanisms, all affecting the EM travelling through media, namely:

- 1) Electronic (ohmic) conduction
- 2) Electrolytic (ionic) conduction
- 3) Dielectric (polarization) conduction

#### An example for an heterogeneous medium



Abraham et al., 2016



### 1) Electronic (ohmic) conduction

**1)** When there are electrons free to move (delocalized electrons)

 $\Delta V = RI$  Ohm's law  $\rightarrow$  "Ohmic" materials  $\rightarrow$  mainly METALS

In differential form:

$$\boldsymbol{E} = -\frac{\partial V}{\partial \boldsymbol{r}} = \boldsymbol{J}\boldsymbol{\rho} = \frac{\boldsymbol{I}}{\boldsymbol{S}}\boldsymbol{\rho} \quad \Rightarrow \quad \boldsymbol{\rho} = \boldsymbol{\sigma}^{-1} = \frac{\boldsymbol{E}}{\boldsymbol{J}} \quad [\Omega m]$$

So, in an electric conductor with lenght "I" and section"S":

$$\Delta V = \frac{I}{S} \rho_0^l \partial l = \frac{I}{S} \rho l = RI \quad da \ cui \Rightarrow R = \rho \frac{l}{S} \quad o \quad \rho = R \frac{S}{l} \quad [\Omega m]$$


The electrical resistivity  $\rho$  (reciprocal of the electrical conductivity  $\sigma$ ) is an intrinsic, intensive property of a material (while the electric resistance R is estensive since it depends also by geometrical factors) describing the proportionality between the electrical field **E** and the density of current **J**.



#### UD2B

### 1) Electronic (ohmic) conduction

In the geoelectrical method the subsurface resistivity  $\rho$  is measured by injecting a current **I** and measuring the potential difference  $\Delta V$ , being the geometry of the experiment known.





## 2) Electrolytic (ionic) conduction

From the previous diagram, most of rocks are dielectrics when in dry conditions because the most common minerals forming rocks are dielectrics. Relevant exceptions are native metals, some sulfates and oxides containing Fe, Ti, Pb, Cu,... with extreme differences due to their chemical structure (e.g. magnetite  $Fe_3O_4$  is a very good conductor, while hematite  $Fe_2O_3$  is nearly an insulator).


#### Water plays an even more important role!

Overall resistivity decreases when water is present  $\rightarrow$  ionic conduction  $\rightarrow$  rocks can be considered as SOLID ELECTROLYTES.

Speed of the ions is noticeably lower than the electrons one, but a net charge transfer will occur due to actual mass movement.

Often an approximation to ohmic conductors is considered. Conductivity of fluids depends upon quantity and mobility (velocity) of charge carriers. Mobility depends on viscosity of fluid (hence temperature) and diameter of charge carriers. Fluid conductivity depends also upon temperature because the mobility of the ions in solution increases with temperature. This behavior is opposite to that of metallic conductors which involve electronic conduction rather than ionic conduction, and exhibit resistivity increases with temperature.

Material	Nominal resistivity $(\Omega m)$		
Sulphides:			
Chalcopyrite	$1.2 \times 10^{-5} - 3 \times 10^{-1}$		
Pyrite	$2.9 \times 10^{-5} - 1.5$		
Pyrrhotite	$7.5 \times 10^{-6} - 5 \times 10^{-2}$		
Galena	$3 \times 10^{-5} - 3 \times 10^{2}$		
Sphalerite	$1.5 \times 10^{7}$		
Oxides:			
Hematite	$3.5 \times 10^{-3} - 10^{7}$		
Limonite	$10^{3} - 10^{7}$		
Magnetite	$5 \times 10^{-5} - 5.7 \times 10^{3}$		
Ilmenite	$10^{-3} - 5 \times 10$		
Ouartz	$3 \times 10^{2} - 10^{6}$		
Rock salt	$3 \times 10 - 10^{13}$		
Anthracite	$10^{-3} - 2 \times 10^{5}$		
Lignite	$9-2 \times 10^{2}$		





### 2) Electrolytic (ionic) conduction

Especially for sedimentary rocks in which minerals are mainly insulating carbonates and silicates, when water is present it influences the overall resistivity MORE THAN the resistivity of the grain skeleton.


$$\rho_e = a\Phi^{-m}S^{-n}\rho_w$$


Archie's law (1942)

 $\Phi$  is the porosity S is the degree of saturation (volume fraction of pores with water) a [0.5 < a > 2.5]; m [1.3 < m > 2.5]; n = 2 The ratio  $\rho_e / \rho_w$  is reported as Formation Factor (F)

Any fine grained mineral exhibits a certain Cation Exchange Capacity (CEC). That is, charges (positive) can be adsorbed (attached to the surface) onto the slightly negatively charged surface, and these can subsequently be exchanged or dissolved. Since clay has a huge surface area to volume ratio, it has a very high exchange capacity → clays can dramatically increase the conductivity especially of fresh waters.

Illite (a clay mineral) with total surface area of **100m<sup>2</sup>/g** 






Quartz overgrowths in sandstone with total surface area of **0.1m<sup>2</sup>/g** 

Knigth, 2006



# 3) Dielectric conduction (polarization)

The electrical behavior of the material (even when not mixed and when isotropic) depends by which is the time required for each polarization mechanism and it is anyway complex.



Guéguen and Palciauskas, 1994

Multiple processes contribute to the dielectric response of rock including dipolar, atomic and electronic polarizations. Additional processes resulting from the liberation of ions into the fluid through hydration are typically very slow but contribute significantly at low frequency.

The imaginary dielectric permittivity is comprised of two components: The polarization loss component (in orange) results from work done in driving electrical polarization processes. The conduction loss (also in orange) is the work done in "friction" between charges (mainly ions) during electromigration. The dipolar loss and conduction loss are combined into one single

#### effective dielectric permittivity. MEMAG A.A. 2021-2022 11



### 1), 2), 3) overall conduction

A dielectric medium in a time variable EM field suffers a displacement of the electrons from their respective nucleus. At macroscopic level such a behavior makes the material "POLARIZED" and DISPLACEMENT CURRENTS take place. The fundamental physical parameter involved is the DIELECTRIC PERMITTIVITY, as already discussed...  $D = \varepsilon E$ 

This mechanism become relevant when the contribution of both electronic and ionic conduction is negligible *→* dielectrics

The POLARIZATION effects are not only at electrons level, but the mechanism can involve atoms or molecules, being the effect maximum for polar molecules (e.g. water) for which the value of  $\varepsilon$  is maximum considering the geologic media.



## 1), 2), 3) overall conduction

# The electrical conduction within rocks and soils is a COMPLEX mechanism possibly including 1), 2) and 3).

Often, one (or two) mechanism(s) is/are dominant and the other(s) can be disregarded.

The strongest dependency is related to the FREQUENCY of the EM field used in the experiment and to the geologic materials characteristics (chemical, mineralogical, physical, granulometric,...)

Fluids (usually WATER) have a prominent effect at all frequencies depending by the their TEMPERATURE, PHYSICAL STATUS (frozen, unfrozen, steam), CHEMICAL COMPOUNDS (ions type, concentration,...), TYPE (connate, adsorbed, free,...), ...

Many empirical relations linking different electrical properties to water content/characteristics are available, among the others:

$$\rho_e = a \Phi^{-m} S^{-n} \rho_w$$
 Archie's law (1942)

 $\theta = -5.3 \cdot 10^{-2} + 2.92 \cdot 10^{-2} \varepsilon_r - 5.5 \cdot 10^{-4} \varepsilon_r^2 + 4.3 \cdot 10^{-6} \varepsilon_r^3$  Topp's eq. (1980)

$$\varepsilon_r = \left(\theta \sqrt{\varepsilon_{r,w}} + (1-\phi)\sqrt{\varepsilon_{r,s}} + (\phi - \theta)\sqrt{\varepsilon_{r,a}}\right)^2$$
 CRIM eq. (1974)

 $\phi$  = porosity;  $\theta$  = volumetric water content; subscripts *w*, *s*, *a* are respectively for water, soil and air MEMAG A.A. 2021-2022 **13** 



f

#### **EM methods and their applicability**


	Method	Source characteristics	Frequency	Parameters measured	Principal application
Electrical		Electric current injected	DC or <50Hz		ρ <b>mapping (water, voids,)</b> chargeability - clay
	VLF	far-field source. radio transmitter	single	tilt angle	mapping structure
Low f EM	AMT	natural EM source	broadband	E. B	resistivity sounding
	CSAMT	intermediate-field. electric bipole	broadband	Е, В, Ø	resistivity sounding
	HLEM (Slingram)	near-field source. mobile loop	variable	В	mapping, shallow sounding vary x(T,R)
	GCM (ground- conductivity meter)	near-field source, mobile loop	single	В	mapping, simple sounding vary x(T,R)
	TDEM/TEM	near-field source, mobile loop, x(T,R) variable	time domain	dB∕dt	mapping, vary x(T.R); sounding, vary time
	l	central loop, x(T,R) fixed		dB/dt	sounding. vary time-window
High f EM ◄	GPR	Antennas coupled with the ground	UHB	reflections	many possible applications
	TDR	Coaxial line (waveguide)	UHB	<b>reflections</b> (ν <sub>ΕΜ</sub> , ε, σ)	very shallow ε water content



### **EM methods and their applicability**

The **different mechanisms** exploited by the different geophysical methods allow a **wide range of applications** not only with sources and sensors directly coupled with the ground.

Helicopter-borne Time-Domain EM system



#### Ground based Freq.-Domain EM system



Fixed Resistivity monitoring



#### Resistivity water survey





#### Helicopter-borne GPR







# **Questions?**