

# Batterie di scambio – bypass

Numero di ranghi	Velocità frontale [m/s]			
	1,5	2,0	2,5	3,0
1	0,61	0,63	0,65	0,67
2	0,38	0,40	0,42	0,43
3	0,23	0,25	0,27	0,29
4	0,14	0,16	0,18	0,20
5	0,09	0,10	0,11	0,12
6	0,05	0,06	0,07	0,08
7	0,03	0,04	0,05	0,06
8	0,02	0,02	0,03	0,04

# Temperatura superficiale batteria

- $t_{rb} = t_m$  se  $\Delta x = 0$
- $t_{rb} = t_m + 3$  se  $\Delta x > 6$
- Interpolato linearmente tra valori intermedi
- $t_{rb}$  temperatura di rugiada della batteria

# Acqua glicole etilenico

- [https://www.engineeringtoolbox.com/ethylene-glycol-d\\_146.html](https://www.engineeringtoolbox.com/ethylene-glycol-d_146.html)

Ethylene Glycol Solution (% by volume)		Freezing Point									
Temperature	°F	0	10	20	30	40	50	60	80	90	100
	°C	32	25.9	17.8	7.3	-10.3	-34.2	-63	≈ -51	≈ -22	9
		0	-3.4	-7.9	-13.7	-23.5	-36.8	-52.8	≈ -46	≈ -30	-12.8

Temperature		Dynamic Viscosity - $\mu$ - (centiPoise)								
°F	°C	25	30	40	50	60	65	100		
0	-17.8	1)	1)	15	22	35	45	310		
40	4.4	3	3.5	4.8	6.5	9	10.2	48		
80	26.7	1.5	1.7	2.2	2.8	3.8	4.5	15.5		
120	48.9	0.9	1	1.3	1.5	2	2.4	7		
160	71.1	0.65	0.7	0.8	0.95	1.3	1.5	3.8		
200	93.3	0.48	0.5	0.6	0.7	0.88	0.98	2.4		
240	115.6	2)	2)	2)	2)	2)	2)	1.8		
280	137.8	2)	2)	2)	2)	2)	2)	1.2		

# Proprietà acqua glicole etilenico

Mass Fraction of Ethylene Glycol in Solution	Density - $\rho$ - ( $\text{kg/m}^3$ ) ( $\text{lb/ft}^3$ )											
	Temperature - $t$ - ( $^{\circ}\text{C}$ ) ( $\text{deg F}$ )											
	-48	-35	-25	-14	-8	-4	0	20	40	60	80	100
0							1000	998	992	983	972	958
0.1						1019	1018	1014	1008	1000	992	984
0.2					1038	1037	1036	1030	1022	1014	1005	995
0.3				1058	1056	1055	1054	1046	1037	1027	1017	1007
0.4			1080	1077	1075	1073	1072	1063	1052	1041	1030	1018
0.5		1103	1100	1096	1093	1092	1090	1079	1067	1055	1042	1030
0.6	1127	1124	1120	1115	1112	1110	1107	1095	1082	1068	1055	1042

# Proprietà acqua glicole etilenico

Ethylene Glycol Solution (% by weight)	Specific Heat - $c_p$ (Btu/lb $^{\circ}F$ ) [kJ/(kg $^{\circ}C$ )]																
	Temperature ( $^{\circ}C$ ) (deg F)																
	-50	-40	-30	-20	-10	0	10	20	30	40	50	60	70	80	90	100	
0						1.0038	1.0018	1.0004	0.99943	0.99902	0.99913	0.99978	1.0009	1.0026	1.0049	1.0076	
10						0.97236	0.97422	0.97619	0.97827	0.98047	0.98279	0.98521	0.98776	0.99041	0.99318	0.99607	
20						0.93576	0.93976	0.94375	0.94775	0.95175	0.95574	0.95974	0.96373	0.96773	0.97173	0.97572	
30						0.89373	0.89889	0.90405	0.90920	0.91436	0.91951	0.92467	0.92982	0.93498	0.94013	0.94529	0.95044
40					0.84605	0.85232	0.85858	0.86484	0.87111	0.87737	0.88364	0.88990	0.89616	0.90243	0.90869	0.91496	0.92122
50				0.79288	0.80021	0.80753	0.81485	0.82217	0.82949	0.83682	0.84414	0.85146	0.85878	0.86610	0.87343	0.88075	0.88807
60	0.72603	0.73436	0.74269	0.75102	0.75935	0.76768	0.77601	0.78434	0.79267	0.80100	0.80933	0.81766	0.82599	0.83431	0.84264	0.85097	
70	0.67064	0.67992	0.68921	0.69850	0.70778	0.71707	0.72636	0.73564	0.74493	0.75422	0.76350	0.77279	0.78207	0.79136	0.80065	0.80993	
80	0.61208	0.62227	0.63246	0.64265	0.65285	0.66304	0.67323	0.68343	0.69362	0.70381	0.71401	0.72420	0.73439	0.74458	0.75478	0.76497	
90					0.58347	0.59452	0.60557	0.61662	0.62767	0.63872	0.64977	0.66082	0.67186	0.68291	0.69396	0.70501	0.71606
100					0.53282	0.54467	0.55652	0.56838	0.58023	0.59209	0.60394	0.61579	0.62765	0.63950	0.65136	0.66321	