

Data Visualization

VISUAL PERCEPTION (2)

Color

Color

Motivation

Color perception

Color specification

Color use


Motivation

Motivation


Color is a very powerful visual channel

Often used to

- Detect patterns (for example, in heat maps)
- Label data to distinguish between categories
- Highlight specific objects (to draw attention)




Top 10 design concerns



Color (mis)use


Above all, do no harm

Edward Tufte




Color perception

Light




The human eye



Rods and cones

20 times as many rods as cones



Filling in the blanks

*We don't see images with our eyes, we see them
with our brains.*


Stephen Few

Filling in the blanks



"2011-07-12-Railway People" by Chuwa (Francis) is licensed under CC BY-SA 2.0, color illusion remix by <http://pippin.gimp.org/>

Sensitivity of rods and cones



Trichromatic theory of color


We have three kinds of color receptors

- S = short wavelength (“blue” cones)
- M = medium wavelength (“green” cones)
- L = long wavelength (“red” cones)

Any visible color can be expressed as a combination of three primary colors

However, we don't perceive color in terms of amount of blue, green and red


Color opponent process theory



Color opponent process theory

Facts that seem to corroborate the theory

- We don't perceive neither the "red-green color" nor the "blue-yellow color"
- Colorblind people tend to be blind on exactly these two axes (most often red-green and least often blue-yellow)
- The following example



Color opponent process theory

Facts that seem to corroborate the theory

- We don't perceive neither the "red-green color" nor the "blue-yellow color"
- Colorblind people tend to be blind on exactly these two axes (most often red-green and least often blue-yellow)
- The previous example

After staring at these colors, the sensors inhibit them and you see their opposites

Color perception summary

Human eye

- Fovea
- Rods (low light conditions, no colors)
- Cones (colors when enough light)

Trichromacy

- Three receptors of color


Opponent process theory

- Signals from the eye transformed in the visual cortex to black-white, red-green and blue-yellow axes

Color specification

Color specification

Every color can be expressed as the sum of three colors (in a 3-D space)




Color spaces

A color space is a (3-D) system that describes colors

The **gamut** of the color space is the whole set of colors that can be reproduced by this color space

Not all color spaces are equivalent




Properties of color spaces

| | Intuitive | Perceptually uniform |
|---------------|-----------|----------------------|
| RGB | | |
| HSL / HSV | | |
| CIE Lab | | |
| CIE LCh / HCL | | |


RGB

- R = red
- G = green
- B = blue


Commonly used in digital devices



RGB




RGB




Red - Currently set to 126



Green - Currently set to 255



Blue - Currently set to 255



RGB

G and B fixed (G = 192, B = 0), changes only in R



R = 5



R = 55



R = 105



R = 155



R = 205





R = 255

Properties of color spaces

| | Intuitive | Perceptually uniform |
|---------------|-----------|----------------------|
| RGB | ✗ | ✗ |
| HSL / HSV | | |
| CIE Lab | | |
| CIE LCh / HCL | | |

HSL / HSV

- H = hue
- S = saturation
- L/V = lightness/value




HSL / HSV

A MOST EXCELLENT



HSL COLOR PICKER

CREATED FOR YOUR ENJOYMENT, BY BRANDON MATHIS



#2b7ad4 rgba(43, 122, 212, 1) hsla(212, 66%, 50%, 1)

HSL / HSV



Properties of color spaces

| | Intuitive | Perceptually uniform |
|---------------|-----------|----------------------|
| RGB | ✗ | ✗ |
| HSL / HSV | ✓ | ✗ |
| CIE Lab | | |
| CIE LCh / HCL | | |

CIE Lab


CIE (International Commission on Illumination)

Specified according to the opponent process theory


- L^* = lightness
- a^* = green-red axis
- b^* = blue-yellow axis

Designed to be perceptually linear

A nonlinear transformation of color wavelengths




CIE Lab



Top view

Front view



CIE Lab

David Johnstone

Lch and Lab colour and gradient picker

Page background colour:

Colour selection mode:

Number of stops:

L: 60

a: -100


b: 3



CIE Lab

CIE L*a*b*

A/B L/A L/B L



0.5




Properties of color spaces

| | Intuitive | Perceptually uniform |
|---------------|-----------|----------------------|
| RGB | ✗ | ✗ |
| HSL / HSV | ✓ | ✗ |
| CIE Lab | ✗ | ✓ |
| CIE LCh / HCL | | |


CIE LCh / HCL

Transformation of CIE Lab to cylindrical coordinates

- L^* = lightness (as in CIE Lab)
- C^* = chroma (corresponds to saturation)
- h = hue



CIE LCh / HCL



CIE LCh / HCL

David Johnstone

Lch and Lab colour and gradient picker

Page background colour:

Colour selection mode:

Number of stops:


L: 79

c: 63

h: 58



CIE LCh / HCL



Color specification summary

| | Intuitive | Perceptually uniform |
|---------------|-----------|----------------------|
| RGB | ✗ | ✗ |
| HSL / HSV | ✓ | ✗ |
| CIE Lab | ✗ | ✓ |
| CIE LCh / HCL | ✓ | ✓ |

Color use

Color use

Color maps

Semantics of color

Color blindness

Importance of size

Importance of contrast

Importance of background

Importance of surrounding color

Data attributes

→ Ordered

→ Ordinal



→ Quantitative



⌚ Ordering Direction

→ Sequential



1, 2, 3, ...

small, medium, large

→ Diverging



..., -2, -1, 0, 1, 2, ...

neg., neutral, pos.

→ Categorical



Color maps

Sequential color maps

Diverging color maps

Categorical color maps

Bivariate color maps

Sequential color maps

Desired properties

- Perceived differences correspond to value differences
- High discriminability



Single hue



Multi-hue




Sequential color maps



Sequential color maps: rainbow

Do not use it!



- Hue (that has no perceptual order) is used to indicate order
- Perceptual nonlinearity: divisions between hues create edges in visualization that have nothing to do with the data



Sequential color maps: rainbow

Do not use it!

- The details are harder to see
- Only advantage: Colors can be easily named
- Overused because chosen as the default color map on many software





Sequential color maps

Cubehelix

- Continuous increase in lightness
- Named colors
- Suitable for grayscale printing (scientific papers)

A color map generator



Diverging color maps

Encode two properties at the same time

- Above/below threshold (usually zero)
- Magnitude above/below threshold


Desired properties

- Perceived differences correspond to value differences
- High discriminability
- Same luminance “ramp” on both sides



Diverging color maps

19 Questions(s) - 498 Participation(s)



Categorical color maps

Desired properties


- Uniform saliency (nothing stands out)
- High discriminability



Use colors that can be named


Do not use too many different colors/categories

Categorical color maps




Univariate color maps

Sequential color maps



Diverging color maps



Categorical color maps



Bivariate color maps


Binary



Categorical




Diverging



Sequential



Bivariate color maps




Existing color maps

Number of data classes: how to use | updates | downloads | credits

Nature of your data:
 sequential diverging qualitative

Pick a color scheme:








Only show:
 colorblind safe
 print friendly
 photocopy safe

Context:
 roads
 cities
 borders


Background:
 solid color
 terrain
color transparency

5-class Set1
HEX

| | |
|---|---------|
|  | #e41a1c |
|  | #377eb8 |
|  | #4daf4a |
|  | #984ea3 |
|  | #ff7f00 |

EXPORT

COLORBREWER 2.0
color advice for cartography




Custom color maps

3 Check and configure the resulting palette


correct lightness bezier interpolation

✓ This palette is colorblind-safe.


simulate: normal deut. prot. trit.




lightness



saturation



hue



Semantics of color

Green = good

Red = bad

Gray perceived as “no color”


- Missing data
- Uncategorized data
- Non-emphasized data

Very powerful when used appropriately

Semantics of color

Russians Are Turning Their Backs On Vodka

Liters of pure alcohol consumed per capita in Russia by beverage



@StatistaCharts Source: World Health Organization


statista

Semantics of color

Use color consistently

Example from US politics


- Republicans = red
- Democrats = blue



Semantics of color

Meaning changes
depending on culture

- A Western / American
- B Japanese
- C Hindu
- D Native American
- E Chinese
- F Asian
- G Eastern European
- H Arab
- I African
- J South American




Semantics of color

Floor of a
children's
hospital




Color blindness

Red-green color blindness affects up to 8% of males and 0.5% of females of Northern European descent




Color blindness




Color blindness

indistinguishable colors in color blindness



























<http://mkweb.bcgsc.ca/colorblind>

Color blindness



Color blindness

| Color | Color name | RGB (1–255) | CMYK (%) | P | D |
|---|----------------|---------------|---------------|---|---|
|  | Black | 0, 0, 0 | 0, 0, 0, 100 |  |  |
|  | Orange | 230, 159, 0 | 0, 50, 100, 0 |  |  |
|  | Sky blue | 86, 180, 233 | 80, 0, 0, 0 |  |  |
|  | Bluish green | 0, 158, 115 | 97, 0, 75, 0 |  |  |
|  | Yellow | 240, 228, 66 | 10, 5, 90, 0 |  |  |
|  | Blue | 0, 114, 178 | 100, 50, 0, 0 |  |  |
|  | Vermillion | 213, 94, 0 | 0, 80, 100, 0 |  |  |
|  | Reddish purple | 204, 121, 167 | 10, 70, 0, 0 |  |  |

Wong, B. (2011) Points of view: Color blindness. Nature Methods 8:441.

See also tools from <https://www.color-blindness.com/2008/12/23/15-tools-color-blindness/>


Color blindness

3 Check and configure the resulting palette


- correct lightness
- bezier interpolation

✓ This palette is colorblind-safe.


simulate: normal deut. prot. trit.




lightness



saturation



hue



Color blindness

VIZ PALETTE By: Elijah Meeks & Susie Lu

PICK

Use Chromajs

Add

Replace

Use Colorgorical

Use ColorBrewer

EDIT

7 Colors

Add

#hex rgb

hsl

- 1 ● #ffd700 [↗](#) ×
- 2 ● #ffb14e [↗](#) ×
- 3 ● #fa8775 [↗](#) ×
- 4 ● #ea5f94 [↗](#) ×
- 5 ● #cd34b5 [↗](#) ×
- 6 ● #9d02d7 [↗](#) ×
- 7 ● #0000ff [↗](#) ×

GET

#hex rgb

hsl

- String quotes
- Object with metadata

```
[{"#ffd700",  
"#ffb14e",  
"#fa8775",  
"#ea5f94",  
"#cd34b5",  
"#9d02d7",  
"#0000ff"}]
```

COLORS IN ACTION

Font color: ● #000000 [↗](#)

Charts made with [Semiotic](#)

Color Population:

| | | |
|---------------------------|----------------------|---------------------|
| No Color Deficiency - 96% | Deuteranomaly - 2.7% | Protanomaly - 0.66% |
| Protanopia - 0.59% | Deuteranopia - 0.56% | |



Color blindness

Use colorblind safe palettes

Blue/orange and blue/red normally safe



Test design with color blindness simulators

Importance of size

Small size hurts discriminability

Small area ➡ high saturation

Large area ➡ low saturation



Importance of contrast

CONTRAST RATIOS

| | | | | |
|-----|--------------------------------|-------------|-------------|-------------|
| 1.0 | | | | |
| 1.1 | Choose if you dislike readers. | That's bad. | That's bad. | Horrible. |
| 1.5 | Ok in 1% of the cases. | Not ideal. | That's bad. | My eyes! |
| 2.5 | Can be a good choice. | Ok. | Not ideal. | That's bad. |
| 4.5 | Safe choice. | Great. | Ok. | Not ideal. |

Contrast is most easily changed using luminance/lightness

Importance of contrast

Colour Contrast Check

Date created: January 11, 2005
Date last modified: January 11, 2015

Foreground Colour:

63BD7B

Red:

Green:

Blue:

Hue (°):

Saturation (%):

Value (%):

Background Colour:

8DE7E7

Red:

Green:

Blue:

Hue (°):

Saturation (%):


Value (%):

Results



This is example text. **Some of it bolded.**
Some of it italicized.

| | |
|---------------------------------|--------|
| Brightness Difference: (>= 125) | 49.524 |
| Colour Difference: (>= 500) | 192 |
| Are colours compliant? | NO |
| Contrast Ratio | 1.618 |
| WCAG 2 AA Compliant | NO |
| WCAG 2 AA Compliant (18pt+) | NO |
| WCAG 2 AAA Compliant | NO |
| WCAG 2 AAA Compliant (18pt+) | NO |

Importance of background




Importance of surrounding color




Importance of surrounding color



Importance of surrounding color



Importance of surrounding color



Color use summary

Use color sparingly

Use color consistently

Be thoughtful of the tone that color conveys

- Enforce emotions
- Consider culture

Design with colorblind in mind

Keep in mind the effect of contrast, background color and surrounding color

Color use summary

Colorbrewer is your friend!

