



Revision: 25.11.14 (Replaces 10.09.14)  
**Grade name : 90P, 150P, 280P,380P,  
 450P, 600P,650P  
 90G, 150G 151G, 171G, 380G,  
 381G,450G, 600G, 650G**

## SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	Trade name	<b>VICTREX® Powder:</b> <b>90P, 150P, 280P, 380P, 450P, 600P and 650P</b> <b>VICTREX® Granules:</b> <b>90G, 150G, 151G, 171G, 380G, 381G, 450G, 600G and 650G</b>
	CAS No.	31694-16-3 or 29658-26-2
	EINECS No.	Not available
	REACH Registration No.	Not applicable
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>	Identified use(s)	The materials are generally used for injection moulding and extrusion operations.
	Uses advised against	This material is not for human implantation.
<b>1.3 Details of the supplier of the safety data sheet</b>	Company Identification	Victrex plc, Victrex Technology Centre, Hillhouse International, Thornton-Cleveleys Lancs, UK FY5 4QD
	Telephone	++ 44 (0) 1253 897700
	Fax:	++ 44 (0) 1253 897701
	E-Mail (competent person)	sds@victrex.com
<b>1.4 Emergency telephone number</b>	Emergency Phone No.	++ 44 (0) 1253 897754

### SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	Preparation is not classified as hazardous in the sense of directive 1999/45/EC and 2006/121/EC.
<b>2.1.1 Regulation (EC) No. 1272/2008 (CLP).</b>	Not classified as dangerous for supply/use.
<b>2.1.2 Directive 67/548/EEC &amp; Directive 1999/45/EC</b>	Not classified as dangerous for supply/use.
<b>2.2 Label elements</b>	None.



Revision: 25.11.14 (Replaces 10.09.14)  
**Grade name : 90P, 150P, 280P,380P,  
 450P, 600P,650P  
 90G, 150G 151G, 171G, 380G,  
 381G,450G, 600G, 650G**

- 2.3 **Other hazards** None.  
 2.4 **Additional Information**

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	EC No.	REACH Registration No.	Hazard statement(s)
None.	-	-	-	-

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	EC No.	REACH Registration No.	EC Classification and Risk Phrases
None.	-	-	-	-

#### 3.2 Additional Information

For full text of H/P phrases see section 16.

### SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

After contact with skin, wash immediately with plenty of soap and water. In the event of contact with molten product: Cool affected area quickly with water. Do not attempt to remove hardened product. Obtain medical attention.

Eye Contact

Flush eyes with water for at least 15 minutes while holding eyelids open.

Ingestion

Call a physician (or poison control centre immediately). Do not induce vomiting wash out mouth with water. Call a physician (or poison control centre immediately).

#### 4.2 Most important symptoms and effects, both acute and delayed

Unlikely to be required but if necessary treat symptomatically.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing Media

Extinguish with waterspray, foam or dry chemical.

Unsuitable Extinguishing Media

None.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon.



Revision: 25.11.14 (Replaces 10.09.14)

**Grade name : 90P, 150P, 280P,380P,  
450P, 600P,650P  
90G, 150G 151G, 171G, 380G,  
381G,450G, 600G, 650G**

**5.3 Advice for fire-fighters**

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.  
Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams etc.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid inhalation and contact with eyes or skin. Ensure sufficient supply of air. Avoid build up of dust. Remove possible cause of ignition – do not smoke. Take precautionary measures against static discharge.

**6.2 Environmental precautions**

Avoid release to the environment. Prevent surface and ground water infiltration, as well as ground penetration.

**6.3 Methods and material for containment and cleaning up**

Sweep up carefully with non-sparking tools. Transfer to a lidded container for disposal or recovery.

**6.4 Reference to other sections****6.5 Additional Information****SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required. Note: Danger of explosive dust

Machine Cleaning (purging): Purging with other polymers (e.g. Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Vitrex website [www.vitrex.com](http://www.vitrex.com)

**7.2 Conditions for safe storage, including any incompatibilities**

Store products enclosed, in original packing.

Storage Temperature

Store at room temperature.

Storage Life

&gt; 10 Year(s).

Incompatible materials

None known

**7.3 Specific end use(s)**

The materials are generally used for injection moulding and extrusion operations.



Revision: 25.11.14 (Replaces 10.09.14)  
**Grade name : 90P, 150P, 280P,380P,  
 450P, 600P,650P  
 90G, 150G 151G, 171G, 380G,  
 381G,450G, 600G, 650G**

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

8.1.1 Occupational exposure limits None

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Dust. (general dust limit value)	-	-	10			Inhalable Dust
			4			Respirable Dust.

8.1.2 Biological limit value None

8.1.3 PNECs and DNELs Not available.

### 8.2 Exposure controls

8.2.1 Appropriate engineering controls Local Exhaust Ventilation at the workplace or on the processing machines required.

#### 8.2.2 Personal protection equipment

Eye/face protection

Eye protection with side protection (EN 166)



Skin protection (Hand protection/ Other)

Impervious Gloves. Plastic or synthetic rubber gloves  
 Additional information on hand protection – No tests have been performed.  
 When dealing with heated material: Insulating gloves EN 407 (heat)



Respiratory protection

If above exposure limits are likely to be exceeded, breathing mask with fine dust filter (EN 143)



8.2.3 Environmental Exposure Controls No special requirements.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Solid (Granulate)
Colour.	White (Powder) Grey/Brown. (Granulate)
Odour	Odourless
Odour threshold (ppm)	None
pH (Value)	Not applicable
Melting point (°C) / Freezing point (°C)	343°C
Boiling point/boiling range (°C):	Not known.
Flash point (°C)	Not known.
Evaporation rate	Not known.
Flammability (solid, gas)	Solid , Non-flammable
Explosive limit ranges	Not explosive.
Vapour pressure (Pascal)	39.6 (@107°C)
Vapour density (Air=1)	Not known
Bulk Density (g/ml)	~1.3
Solubility (Water)	Insoluble
Solubility (Other)	Insoluble



Revision: 25.11.14 (Replaces 10.09.14)

**Grade name : 90P, 150P, 280P,380P,  
450P, 600P,650P  
90G, 150G 151G, 171G, 380G,  
381G,450G, 600G, 650G**

Partition coefficient (n-Octanol/water)	Not known
Auto ignition point (°C)	595 °C
Decomposition temperature (°C)	> 450 °C
Viscosity (mPa. s)	Not known
Explosive properties	Not explosive, May form explosive dust clouds in air.
Oxidising properties	Not oxidising
<b>9.2 Other information</b>	None

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	Stable under normal conditions.
<b>10.4 Conditions to avoid</b>	Stable under normal conditions.
<b>10.5 Incompatible materials</b>	Concentrated Sulphuric acid
<b>10.6 Hazardous Decomposition Product(s)</b>	Oxides of carbon

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1 Information on toxicological effects</b>	
<b>11.1.1 Substances</b>	
<b>Acute toxicity</b>	
Ingestion	Predicted to be low toxicity under normal conditions of handling and use.
Inhalation	Mechanical irritation of the respiratory tract.
Skin Contact	Repeated and/or prolonged skin contact may cause irritation. In the event of contact with molten product: Thermal Burns (molten polymer will adhere to skin and cause severe burns).
Eye Contact	No data. Dust may have irritant effect on eyes. Permanent damage is unlikely.
<b>Hazard label(s)</b>	Not known
<b>Serious eye damage/irritation</b>	Not known
<b>respiratory or skin sensitization</b>	Not known
<b>Mutagenicity</b>	Not known
<b>Carcinogenicity</b>	Not known
<b>Reproductive toxicity</b>	Not known
<b>STOT - single exposure</b>	Not known
<b>STOT - repeated exposure</b>	Not known
<b>Aspiration hazard</b>	Not known
<b>11.1.2 Mixtures</b>	Not applicable
<b>11.2 Other information</b>	None



Revision: 25.11.14 (Replaces 10.09.14)  
**Grade name : 90P, 150P, 280P,380P,  
 450P, 600P,650P  
 90G, 150G 151G, 171G, 380G,  
 381G,450G, 600G, 650G**

## SECTION 12: ECOLOGICAL INFORMATION

12.1	<b>Toxicity</b>	Low toxicity to aquatic organisms.
12.2	<b>Persistence and degradability</b>	Not readily biodegradable.
12.3	<b>Bioaccumulative potential</b>	Not classified as PBT or vPvB.
12.4	<b>Mobility in soil</b>	The product has low mobility in soil. The product has low mobility in sediment.
12.5	<b>Results of PBT and vPvB assessment</b>	Not classified as PBT or vPvB.
12.6	<b>Other adverse effects</b>	None anticipated

## SECTION 13: DISPOSAL CONSIDERATIONS

13.1	<b>Waste treatment methods</b>	Disposal should be in accordance with local, state or national legislation.
13.2	<b>Additional Information</b>	None

## SECTION 14: TRANSPORT INFORMATION

14.1	<b>Land transport (ADR/RID)</b> UN number Proper Shipping Name	Not classified as dangerous for transport. Not applicable Not applicable
14.2	<b>Sea transport (IMDG)</b> UN number Proper Shipping Name	Not classified as dangerous for transport. Not applicable Not applicable
14.3	<b>Air transport (ICAO/IATA)</b> UN number Proper Shipping Name	Not classified as dangerous for transport. Not applicable Not applicable
14.4	<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable

## SECTION 15: REGULATORY INFORMATION

15.1	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	Not classified as dangerous for supply/use.
15.1.1	<b>EU regulations</b> Authorisations and/or restrictions on use	None
15.1.2	<b>National regulations</b> TSCA	Listed
15.2	<b>Chemical Safety Assessment</b>	Not relevant for this material.



Revision: 25.11.14 (Replaces 10.09.14)  
**Grade name : 90P, 150P, 280P,380P,  
 450P, 600P,650P  
 90G, 150G 151G, 171G, 380G,  
 381G,450G, 600G, 650G**

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEL	Predicted No Effect Concentration

### References:

Workplace Exposure Limit (UK HSE EH40)

### Risk Phrases and Safety Phrases

None

### Hazard statement(s) and Precautionary statement(s)

None

### Training advice:

[www.victrex.com](http://www.victrex.com)

### Additional Information

Manufactured in the UK under a Quality System approved to ISO 9001:2008 by Victrex Plc.

Additional information on the properties, processing and application of VICTREX polymers is available at [www.victrex.com](http://www.victrex.com). These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

**Revision: 25/11/14**      **Previous edition 10/09/14**

### World Headquarters

Victrex plc  
 Hillhouse International  
 Thornton Cleveleys  
 Lancashire, FY5 4QD  
 UK  
 Tel: +44 (0)1253 897700  
 Fax: +44 (0)1253 897701  
 email: [victrexplc@victrex.com](mailto:victrexplc@victrex.com)

### Americas

Victrex USA, Inc.  
 300 Conshohocken State Road  
 Suite 120  
 West Conshohocken, PA 19428  
 USA  
 Tel: +1 (0)800 VICTREX  
 Tel: +1 (0)484 342 6001  
 Fax: +1 (0)484 342 6002  
 email: [americas@victrex.com](mailto:americas@victrex.com)

### Europe

Victrex Europa GmbH  
 Langgasse 16  
 65719 Hofheim  
 Germany  
 Tel: +49 (0)61 9296 4949  
 Fax: +49 (0)61 9296 4948  
 email: [europe@victrex.com](mailto:europe@victrex.com)

### Japan

Victrex Japan, Inc.  
 Mita Kokusai Building Annex  
 1-4-28 Mita  
 Minato-ku  
 Tokyo 108-0073  
 Japan  
 Tel: +81 (0)3 5427 4650  
 Fax: +81 (0)3 5427 4651  
 email: [japansales@victrex.com](mailto:japansales@victrex.com)

### Asia Pacific

Victrex High Performance  
 Materials (Shanghai) co Ltd  
 Asia Innovation and Technology  
 Center  
 Part B Building G,  
 1688 Zhuanxing Rd  
 Xinzhuang Industry Park  
 Shanghai 201108  
 China  
 Tel: +86 (0)21 6113 6900  
 Fax: +86 (0)21 6113 6901  
 email : [scsales@victrex.com](mailto:scsales@victrex.com)

VICTREX PLC BELIEVES THAT THE INFORMATION CONTAINED IN THIS BROCHURE IS AN ACCURATE DESCRIPTION OF THE TYPICAL CHARACTERISTICS AND/OR USES OF THE PRODUCT OR PRODUCTS, BUT IT IS THE CUSTOMER'S RESPONSIBILITY TO THOROUGHLY TEST THE PRODUCT IN EACH SPECIFIC APPLICATION TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY FOR EACH END-USE PRODUCT, DEVICE OR OTHER APPLICATION. SUGGESTIONS OF USES SHOULD NOT BE TAKEN AS INDUCEMENTS TO INFRINGE ANY PARTICULAR PATENT. THE INFORMATION AND DATA CONTAINED HEREIN ARE BASED ON INFORMATION WE BELIEVE RELIABLE. MENTION OF A PRODUCT IN THIS DOCUMENTATION IS NOT A GUARANTEE OF AVAILABILITY. VICTREX PLC RESERVES THE RIGHT TO MODIFY PRODUCTS, SPECIFICATIONS AND/OR PACKAGING AS PART OF A CONTINUOUS PROGRAM OF PRODUCT DEVELOPMENT. VICTREX® IS A REGISTERED TRADEMARK OF VICTREX MANUFACTURING LIMITED. VICTREX PIPES™ IS A TRADEMARK OF VICTREX MANUFACTURING LIMITED. PEEK-ESD™, HT™, ST™ AND WG™ ARE TRADEMARKS OF VICTREX PLC. VICOTE® AND APTIV® ARE REGISTERED TRADEMARKS OF VICTREX PLC.

VICTREX PLC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR OF INTELLECTUAL PROPERTY NON-INFRINGEMENT, INCLUDING, BUT NOT LIMITED TO PATENT NON-INFRINGEMENT, WHICH ARE EXPRESSLY DISCLAIMED, WHETHER EXPRESS OR IMPLIED, IN FACT OR BY LAW. FURTHER, VICTREX PLC MAKES NO WARRANTY TO YOUR CUSTOMERS OR AGENTS, AND HAS NOT AUTHORIZED ANYONE TO MAKE ANY REPRESENTATION OR WARRANTY OTHER THAN AS PROVIDED ABOVE. VICTREX PLC SHALL IN NO EVENT BE LIABLE FOR ANY GENERAL, INDIRECT, SPECIAL, CONSEQUENTIAL, PUNITIVE, INCIDENTAL OR SIMILAR DAMAGES, INCLUDING WITHOUT LIMITATION, DAMAGES FOR HARM TO BUSINESS, LOST PROFITS OR LOST SAVINGS, EVEN IF VICTREX HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, REGARDLESS OF THE FORM OF ACTION.

