

Giulia Bernardini  
[giulia.bernardini@units.it](mailto:giulia.bernardini@units.it)  
Office: 3.29 (C5, 3rd floor)

Algorithmic Design  
a.y. 2022/2023

# What can you expect from this course?

## Algorithmics tells us:


- Whether a program will be effective before coding it
- How to estimate the execution time of a program
- Whether the program strategy can be improved

## You will learn how to:

- Abstract the notion of program (pseudocodes)
- Define a measure of efficiency/complexity
- Actually compute this measure for existing algorithms
- Design algorithms that perform well for this measure

# Material

- **Textbook:** *Introduction to Algorithms* (3rd Edition) Cormen, Leiserson, Rivest, Stein. MIT Press.
- **Chapters from other books** that I will provide
- **Exercises**
- **Slides (sometimes).** **Disclaimer:** the slides are not enough to pass the examination. You need to take notes/read the book
- **Video recordings**



I will upload everything on moodle as well:

<https://moodle2.units.it/course/view.php?id=10259>

Team: CD2022 587SM-2 ALGORITHMIC DESIGN

# Lectures

- **Tuesdays** 10.15-13 in room 0B of H3 building with two breaks of 10/15 minutes in between (sometimes only 2 hours: 10.15-12)
- **Wednesdays** 10.15-12 in room B of C2 building with one break of 15 minutes in between
- **Easter break:** 6-12 April
- **No lectures on:** 25-26 April

# Examination

- **15/20 minutes** oral presentation about a recent paper individually assigned to each of you at the end of the course. **Important: longer presentations will be penalised.** To learn how to identify and present only the most important aspects of a problem and its solution is an essential part of this course.
- A thorough **oral examination** over the whole content of the course (right after the presentation)
- The presentation and the oral examination are given separate grades. The final grade is given by 40% the presentation's grade + 60% the oral examination's grade, **provided they are both above the passing mark.**
- We will agree on a few dates in each exam session using doodles / emails

# Wooclap

Go to [www.wooclap.com](http://www.wooclap.com) and use the code **BERNARDINIO**

You do not need to create an account and you can answer to questions anonymously!

wooclap

Features ▾ Pricing ▾ Resources ▾ Teaching methods ▾

Login

Sign Up

EN ▾



\*\*\*\*

Join an event

Event code

Go!

## Interactive presentations for memorable **classes**

Wooclap, the tool to interact, capture attention and measure understanding.

Try Wooclap for free



# Answer to Question 4

What quantity does the algorithm below compute?

---

**Algorithm 4** SOME COMPUTATION ON A

---

**INPUT:** An array  $A = A[1, \dots, n]$  of integers (positive and negative).

**OUTPUT:** ???

$i \leftarrow 1$ ; total  $\leftarrow 0$ ; counter  $\leftarrow 0$ ;

**while**  $i \leq n$  **do**

**if**  $A[i] > 0$  **then**

        total  $\leftarrow$  total +  $A[i]$ ;

        counter  $\leftarrow$  counter + 1;

$i \leftarrow i + 1$ ;

**if** counter  $> 0$  **then**

**return**  $\frac{\text{total}}{\text{counter}}$ ;

**else**

**return** FAIL;

---

# Answer to Question 4

What quantity does the algorithm below compute?

- The loop is not endless

---

## Algorithm 4 SOME COMPUTATION ON A

---

**INPUT:** An array  $A = A[1, \dots, n]$  of integers (positive and negative).

**OUTPUT:** ???

$i \leftarrow 1$ ;  $\text{total} \leftarrow 0$ ;  $\text{counter} \leftarrow 0$ ;

**while**  $i \leq n$  **do**

**if**  $A[i] > 0$  **then**  
         $\text{total} \leftarrow \text{total} + A[i]$ ;  
         $\text{counter} \leftarrow \text{counter} + 1$ ;

$i \leftarrow i + 1$ ;   $i$  is incremented at every iteration of the loop

**if**  $\text{counter} > 0$  **then**

**return**  $\frac{\text{total}}{\text{counter}}$ ;

**else**

**return** FAIL;

---



# Answer to Question 4

What quantity does the algorithm below compute?

- It does not always fail

---

## Algorithm 4 SOME COMPUTATION ON A

---

**INPUT:** An array  $A = A[1, \dots, n]$  of integers (positive and negative).

**OUTPUT:** ???

$i \leftarrow 1$ ;  $\text{total} \leftarrow 0$ ;  $\text{counter} \leftarrow 0$ ;

**while**  $i \leq n$  **do**

**if**  $A[i] > 0$  **then**

$\text{total} \leftarrow \text{total} + A[i]$ ;

$\text{counter} \leftarrow \text{counter} + 1$ ;

$i \leftarrow i + 1$ ;

**if**  $\text{counter} > 0$  **then**

**return**  $\frac{\text{total}}{\text{counter}}$ ;

**else**

**return** FAIL;

---

If there is at least one positive element, counter is positive and the algorithm does not fail

# Answer to Question 4

What quantity does the algorithm below compute?

- It skips the negative elements...

---

## Algorithm 4 SOME COMPUTATION ON A

---

**INPUT:** An array  $A = A[1, \dots, n]$  of integers (positive and negative).

**OUTPUT:** ???

$i \leftarrow 1$ ;  $\text{total} \leftarrow 0$ ;  $\text{counter} \leftarrow 0$ ;

**while**  $i < n$  **do**

**if**  $A[i] > 0$  **then**

$\text{total} \leftarrow \text{total} + A[i]$ ;

$\text{counter} \leftarrow \text{counter} + 1$ ;

$i \leftarrow i + 1$ ;

**if**  $\text{counter} > 0$  **then**

**return**  $\frac{\text{total}}{\text{counter}}$ ;

**else**

**return** FAIL;

---

total stores the sum of the positive elements;  
count stores the number of positive elements

# Answer to Question 4

What quantity does the algorithm below compute?

- It returns the average of the positive elements of  $A$ !

---

## Algorithm 4 SOME COMPUTATION ON $A$

---

**INPUT:** An array  $A = A[1, \dots, n]$  of integers (positive and negative).

**OUTPUT:** ???

$i \leftarrow 1$ ;  $\text{total} \leftarrow 0$ ;  $\text{counter} \leftarrow 0$ ;

**while**  $i \leq n$  **do**

**if**  $A[i] > 0$  **then**

$\text{total} \leftarrow \text{total} + A[i]$ ;

$\text{counter} \leftarrow \text{counter} + 1$ ;

$i \leftarrow i + 1$ ;

**if**  $\text{counter} > 0$  **then**

**return**  $\frac{\text{total}}{\text{counter}}$ ;

**else**

**return** FAIL;

---

This is the average of the positive elements, if there are any!