



Continuous Integration




Dario Campagna

Head of Research and Development

Continuous Integration

A software development practice to detect integration errors as quickly as possible.


- Members of the team integrate their work frequently
- Multiple integrations per day
- Automated verification of each integration



Software Systems: common issues

Software systems are complex.

- A change to a single file can break the system.
- Combining the work of multiple developers is hard.



Software Systems: usual solution

Developers work on their own branches.

- To keep trunk/master stable.
- To prevent treading on each other toes.




Image from <https://www.freecodecamp.org/news/why-you-should-not-use-feature-branches-a86950126124/>

Long-lived Branches

Issues

Painful to integrate into mainline

Need of code freezes, integration and stabilization phases

Expensive and unpredictable process

Issues become more severe as

Team sizes grow

Branches become more long-lived



Continuous Integration to the rescue

XP principle: if something is painful, we should do it more often, and bring the pain forward.

- Developers integrate all their work into trunk regularly
- Automated tests are run before and after the merge
- If automated tests fail, stop and fix immediately




Mustafasari, CC BY-SA 3.0, <https://commons.wikimedia.org/w/index.php?curid=2816241>



Developer practice

Continuous integration is a practice—it is about what people do, not about what tools they use.

- Adopting CI requires a change in human behavior.
- CI requires a change to the daily habits of developers.



Keep a working system

Continuous integration helps in keeping a working system.


- CI means always having a stable system.
- When a test fails the developer fixes it immediately.
- CI increase visibility by removing un-integrated code.




Growing the system

Continuous Integration means to grow the system.

- Building: separate components are assembled together when they are finished.
- Growing: nurturing the system and evolving it into a larger system.



growing



building

www.craiglarman.com
www.odd-e.com

Copyright © 2010
C.Larman & B. Vodde
All rights reserved.



Small changes

Continuous integration requires small changes.

- Integrate in the system easily.
- Integrate in the system fast.
- Developers get regular feedback on the impact of their work.



Integrate at least daily

How frequent is 'continuous'? As frequently as possible! This is limited by...

- Ability to split large changes.
- Speed of integration.
- Speed of feedback cycle.



On the mainline

We want to integrate on the mainline.

- You may still need releases branches.
- Very short-lived branches are fine.
- Feature toggles, branch by abstraction.
- More about branch management [here](#).





Image from <https://www.toptal.com/software/trunk-based-development-git-flow>



With the help of a CI system



www.craiglarman.com
www.odd-e.com


Copyright © 2010
C.Larman & B. Vodde
All rights reserved.



With lots of automated tests

Continuous Integration requires you to have lots of automated tests.

- To have a CI system compile everything is not very useful.
- More automated tests means better safety net.
- More automated tests means more confidence the system is working.



Bank OCR

A kata to get to know Continuous Integration a bit better, and to experiment with a simple CI system.

<https://github.com/dario-campagna/Bank-OCR-assignment>

- Work in small groups
- Split the work and collaborate
- Practice Continuous Integration, TDD, etc.



References



Continuous Integration

Martin Fowler

Continuous Delivery

Jez Humble, David Farley

Accelerate

Nicole Forsgren Ph.D., Jez Humble, Gene Kim