

What is Cosmology

Cosmos= Universe, Order, beauty
-logy= study

Study of the Universe as a whole

Aim at getting an understanding of:

- its origin


- its structure and composition

(where do galaxies, stars, planets, people come from?)

- its evolution

- its fate

- Observational Cosmology & Inference!




Olbers' Paradox (1826): The night sky is dark!

How bright would the night sky be if the distribution of stars was infinite?

Flux from a star


$$f = \frac{L}{4\pi r^2}$$



**Intensity of radiation
from a shell of stars
per steradian**

$$dJ = \frac{L}{4\pi r^2} n r^2 dr$$

*Density,
for simplicity assume constant*



If the Universe is infinite:

$$J = \int_{r=0}^{r=\infty} dJ = \frac{nL}{4\pi} \int_0^{\infty} = \infty$$



Olbers' Paradox (1826): The night sky is dark!

Possible solutions of Olbers' Paradox:




- 1) Distant stars are hidden by opaque material as dust clouds (This doesn't work in the long run. Those clouds would heat up and we would see them).
- 2) The Universe has finite size (Or stars occupy only a finite volume.)
- 3) The Universe has finite age (Or stars have existed for a finite time.)

Either the Universe is not **INFINITE** or the Universe is not **STATIC**.

THE SIZE OF THE KNOWN UNIVERSE





Herschel



La Via Lattea e la sua “nebbia”

- 1915 „Big Galaxy“-Ipotesi: Via Lattea sola galassia e "nebbia" all'interno della Via Lattea (H. Shapley)
- 1920 „Universo Isola“-Ipotesi (H.D. Curtis): Via Lattea una delle tante galassie
- **Modello Universo Isola confermato da E. Hubble (1923)**



Hubble's law



- 1912 - 1920s: Vesto Slipher finds most galaxies (nebulae) are redshifted

$$z = \frac{\lambda_{\text{obsv}} - \lambda_{\text{emit}}}{\lambda_{\text{emit}}} \quad \text{or} \quad 1 + z = \frac{\lambda_{\text{obsv}}}{\lambda_{\text{emit}}}$$

In relativity:


$$1 + z = \gamma \left(1 + \frac{v_{\parallel}}{c} \right)$$

$$z \approx \frac{v_{\parallel}}{c} \quad \text{For small velocity}$$




Hubble's law

- Until mid 20s was not clear that our Galaxy was the not the whole Universe
- 1929: Hubble shows that galaxies have a measured redshift proportional to estimated distance
- Edwin Hubble estimates galaxy distances using Cepheid variable stars.
- 36 redshifts (positive velocity), 5 blueshifts (negative velocity): “The great preponderance of positive (receding) velocities is very striking”




Hubble 1929



Freedman et al. 2001

Hubble's law





- Consistent with homogeneous, isotropic expansion



- Homogeneity does not imply isotropy
- Isotropy around one point does not imply homogeneity
- Both assumptions need to be tested

Hubble's law

- Consistent with homogeneous, isotropic expansion



Hubble's law and Big Bang

Hubble's law is consistent with a Big Bang model, but does not require it

Hot Big Bang

Cosmological principle: universe is spatially homogeneous & isotropic (on large scales), but **changes with time**, becoming cooler & less dense.

Steady State


(Bondi, Gold, & Hoyle 1948)

Perfect cosmological principle: universe is spatially homogeneous & isotropic (on large scales), and its global properties are **constant with time**.

Observational Evidences

The universe is isotropic:

Each volume is about like every other volume: Large volumes of the sky in different directions, 100's of Mpc in size, look about the same.




Observational Evidences

The universe is isotropic:
it looks the same in every direction

HDF-North




HDF-South



Observational Evidences


The universe is isotropic:
it looks the same in every direction



Observational Evidences

The universe contains a cosmic microwave background (CMB) Penzias & Wilson, 1965:

- CMB is very well fitted by a blackbody spectrum



$$n(\nu)d\nu = \frac{8\pi}{c^3} \frac{\nu^2 d\nu}{\exp(h\nu / kT) - 1}$$

$$T_0 = 2.7255 \pm 0.0006 \text{ K}$$

Observational Evidences

Blackbody spectra are produced by opaque objects:

- CMB tells us that the early universe was opaque.
- Baryonic matter (protons, neutrons, & electrons) was ionized.
- Rate at which photons scattered from free electrons was greater than the expansion rate of the universe ($\Gamma > H$).
- Equivalently: mean free path for photons was shorter than the Hubble distance ($c/\Gamma < c/H$).

Universe was opaque. Now it is transparent:

- Violation of the perfect cosmological principle

Cosmological Principle

The Universe is homogeneous & isotropic only on large scales today (>100 Mpc).

In the past, the Universe was more nearly homogeneous & isotropic:

- There is no preferred location (i.e., a centre) in the universe; and our own Milky Way (and Sun and, Earth) is not in any particularly special place.

Expansion of a homogeneous & isotropic universe is described by the Friedmann-Robertson-Walker metric and the Friedmann equation.