

TECNICHE DI RAPPRESENTAZIONE E MODELLIZZAZIONE DEI DATI

— Part 1 —

(2 CFU out of 6 total CFU)

Link moodle: <https://moodle2.units.it/course/view.php?id=11703>

Teams code: 0ft0qj8

Python variables

How to access the content of a string and slice it:

```
[In [10]: string = 'Information'

[In [11]: type(string)
Out[11]: str

[In [12]: print(string[3])
o

[In [13]: print(string[-1])
n

[In [14]: print(string[0:4])
Info

[In [15]: print(string[3:6])
orm

[In [16]: print(string[2:-2])
formati
```

i-th element of a string

from the i-th to the j-th character of a string [i, j]

Lists behave similarly.

Python variables

Variables: nouns assigned to values stored in memory

Programs perform computations with variables to obtain results.

The token `=` links a value to a variable,
via an assignment statement.

It links the *lvalue* (variable on the left)
with its *rvalue* (value on the right)

The Python interpreter evaluates variables
and returns their values:

```
>>> year = 2023
>>> month = 'October'
>>>
```

```
>>> year, month
(2023, 'October')
>>> year
2023
```

The token `=` to assign is something different from `==` to verify value equality.

Python expressions

Expression:

combination of values, variables, operators and calls to functions.
The Python interpreter evaluates the written expression and returns the result.

Python operators

Operators: special tokens used to perform different operations

Python can perform operations only between variables / values of the same type.

Text Type: `str`

Numeric Types: `int`, `float`, `complex`

Sequence Types: `list`, `tuple`, `range`

Mapping Type: `dict`

Set Types: `set`, `frozenset`

Boolean Type: `bool`

Binary Types: `bytes`, `bytearray`, `memoryview`

None Type: `NoneType`

If types are compatible (e.g., integers are a sub-set of floats), Python automatically cast (~convert) to the higher-level type (~upgrade).

Otherwise: Error!

Python operators

Operators: special tokens used to perform different operations

Python can perform operations only between variables / values of the same type.

```
[In [1]: a = 1

[In [2]: type(a)
Out[2]: int

[In [3]: b = 1.0

[In [4]: type(b)
Out[4]: float

[In [5]: type(a) == type(b)
Out[5]: False

[In [6]: a == b
Out[6]: True
```

Use the Python built-in function `type()` to check whether variables / values have the same type.

Do not just compare variable values!

Python operators

Operators: special tokens used to perform different operations

Python can perform operations only between variables / values of the same type.

```
[In [7]: c = 4 + 3.5
[In [8]: print(c); type(c)
7.5
Out[8]: float
```

If types are compatible (e.g., integers are a sub-set of floats), Python automatically cast (~convert) to the higher-level type (~upgrade).

Python operators

Operators: special tokens used to perform different operations

Python can perform operations only between variables / values of the same type.

```
[In 7]: c = 4 + 3.5  
  
[In 8]: print(c); type(c)  
7.5  
Out[8]: float
```

If types are compatible (e.g., integers are a sub-set of floats), Python automatically cast (~convert) to the higher-level type (~upgrade).

```
[In 9]: d = 4 + 'hello'  
-----  
TypeError  
Input In [9], in <cell line: 1>()  
----> 1 d = 4 + 'hello'
```

Traceback (most recent call last)

Otherwise: Error!

```
TypeError: unsupported operand type(s) for +: 'int' and 'str'
```

Python operators

Arithmetic operators: used with numeric values to perform common mathematical operations

Operator	Name	Example
+	Addition	$x + y$
-	Subtraction	$x - y$
*	Multiplication	$x * y$
/	Division	x / y
%	Modulus	$x \% y$
**	Exponentiation	$x ** y$
//	Floor division	$x // y$

Python operators

Comparison operators: used to compare two values

Operator	Name	Example
<code>==</code>	Equal	<code>x == y</code>
<code>!=</code>	Not equal	<code>x != y</code>
<code>></code>	Greater than	<code>x > y</code>
<code><</code>	Less than	<code>x < y</code>
<code>>=</code>	Greater than or equal to	<code>x >= y</code>
<code><=</code>	Less than or equal to	<code>x <= y</code>

Python operators

Logical operators: used to combine conditional statements

Operator	Description	Example
and	Returns True if both statements are true	$x < 5$ and $x < 10$
or	Returns True if one of the statements is true	$x < 5$ or $x < 4$
not	Reverse the result, returns False if the result is true	<code>not(x < 5 and x < 10)</code>

Python operators

Membership operators: used to test if a sequence is presented in an object

Operator	Description	Example
in	Returns True if a sequence with the specified value is present in the object	x in y
not in	Returns True if a sequence with the specified value is not present in the object	x not in y

Python operators

Membership operators: used to test if a sequence is presented in an object

Operator	Description	Example
in	Returns True if a sequence with the specified value is present in the object	x in y
not in	Returns True if a sequence with the specified value is not present in the object	x not in y

Extremely useful with lists:

```
[In [12]: my_namelist = ['Marco', 'Mirko', 'Marika']

In [13]: if 'Mirko' in my_namelist:
....:     print("Yes!")
....:
Yes!]
```

```
[In [14]: my_list = [1,2,3,4]

In [15]: if 5 not in my_list:
....:     print("Not there")
....:
Not there]
```

Python operators

When used with strings, the following operators assume a different meaning:

- + to concatenate strings

```
[In [1]: 'Free' + 'Time'  
Out[1]: 'FreeTime'
```

- * to repeat strings (you can only use integer and strings)

```
[In [2]: 4 * 'hi'  
Out[2]: 'hihihihi'
```

When applied to lists, these operators behave in a similar manner.

Python operators

When used with strings, the following operators assume a different meaning:

- + to concatenate strings
- * to repeat strings (you can only use integer and strings)

When applied to lists, these operators behave in a similar manner.

```
[In [18]: my_list = ['you', 'he', 'she', 'we', 'they']

[In [19]: print(my_list[0])
you

[In [20]: print(my_list[-2])
we

[In [21]: print(my_list[-3:])
['she', 'we', 'they']

[In [22]: my_list + my_list
Out[22]: ['you', 'he', 'she', 'we', 'they', 'you', 'he', 'she', 'we', 'they']

[In [23]: 2 * my_list
Out[23]: ['you', 'he', 'she', 'we', 'they', 'you', 'he', 'she', 'we', 'they']

[In [24]: 2 * my_list[0]
Out[24]: 'youyou'
```

Exercises

Using the Python interpreter:

1. Type: `hello + 3`
and make the result be 14.
2. Create the variables `value` and `percentage` to compute the 5% of 14350.
3. Assemble a string (e.g., ‘hello’) from a few other strings.
4. Assemble a sentence from a list of strings.

Dictionaries

Python type used to store data values in key : value pairs.

A dictionary is a collection which is ordered, changeable and do not allow duplicates.

Dictionaries are written with curly brackets, and have keys and values.

```
[In [18]: my_dict_1 = {'brother':'Marco', 'sister':'Anna', 'dog':'Pluto'}      # dictionary of strings

[In [19]: my_dict_2 = {'brother':1991, 'sister':1999, 'dog':2006}      # dictionary of numbers

[In [20]: my_dict_2['brother'] = 1992    # to assign

[In [21]: print(my_dict_2)
{'brother': 1992, 'sister': 1999, 'dog': 2006}

[In [22]: print('My sister was born in : {}'.format(my_dict_2['sister']))
My sister was born in : 1999

[In [23]: print('My sister is : {}'.format(my_dict_1['sister']))
My sister is : Anna
```

Python: .format

```
In [10]: my_list = [1, 2, 3, 'a', 'b', 'c']

In [11]: my_list
Out[11]: [1, 2, 3, 'a', 'b', 'c']

In [12]: print('1st element is {} 2nd element is {} 3rd element is {}'.format('dog', 4200, my_list))
1st element is dog 2nd element is 4200 3rd element is [1, 2, 3, 'a', 'b', 'c']

In [13]: print('1st element is {0} 2nd element is {1} 3rd element is {2}'.format('dog', 4200, my_list))
1st element is dog 2nd element is 4200 3rd element is [1, 2, 3, 'a', 'b', 'c']

In [14]: print('1st element is {2} 2nd element is {0} 3rd element is {1}'.format('dog', 4200, my_list))
1st element is [1, 2, 3, 'a', 'b', 'c'] 2nd element is dog 3rd element is 4200

In [15]: print('1st element is {0} 2nd element is {1} 3rd element is {5}'.format('dog', 4200, my_list))
Traceback (most recent call last):

Cell In[15], line 1
  print('1st element is {0} 2nd element is {1} 3rd element is {5}'.format('dog', 4200, my_list))

IndexError: Replacement index 5 out of range for positional args tuple
```

Python: .format

```
In [10]: my_list = [1, 2, 3, 'a', 'b', 'c']

In [11]: my_list
Out[11]: [1, 2, 3, 'a', 'b', 'c']

In [12]: print('1st element is {} 2nd element is {} 3rd element is {}'.format('dog', 4200, my_list))
1st element is dog 2nd element is 4200 3rd element is [1, 2, 3, 'a', 'b', 'c']

In [13]: print('1st element is {0} 2nd element is {1} 3rd element is {2}'.format('dog', 4200, my_list))
1st element is dog 2nd element is 4200 3rd element is [1, 2, 3, 'a', 'b', 'c']

In [14]: print('1st element is {2} 2nd element is {0} 3rd element is {1}'.format('dog', 4200, my_list))
1st element is [1, 2, 3, 'a', 'b', 'c'] 2nd element is dog 3rd element is 4200

In [15]: print('1st element is {0} 2nd element is {1} 3rd element is {5}'.format('dog', 4200, my_list))
Traceback (most recent call last):

Cell In[15], line 1
  print('1st element is {0} 2nd element is {1} 3rd element is {5}'.format('dog', 4200, my_list))

IndexError: Replacement index 5 out of range for positional args tuple

In [16]: print('1st element is {}'.format('dog', 4200, my_list))
1st element is dog

In [17]: print('1st element is {2}'.format('dog', 4200, my_list))
1st element is [1, 2, 3, 'a', 'b', 'c']
```

Tuples

Along with lists and dictionaries (and sets), tuples make a built-in data type in Python used to store collections of data.

```
[In [3]: my_tuple = (3, 3.0, 'three')

[In [4]: type(my_tuple)
Out[4]: tuple

[In [5]: print(len(my_tuple))
3
```

Python Types

Tuples and lists are both used to store collection of data

They are both heterogeneous data types (you can store any kind of data type in the same collection).

They are both ordered (the order in which you put the items are kept).

They are both sequential data types so you can iterate over their items.

Items of both tuples and lists can be accessed by an [index].

Main difference:

tuples cannot be changed
(tuples are immutable objects)
while lists can be modified.

```
[In [11]: a_list = [1,2,'hello',4,5.3, True]
[In [12]: a_tuple = (1,2,'hello',4,5.3, True)
[In [13]: print(a_list)
[1, 2, 'hello', 4, 5.3, True]
[In [14]: print(a_tuple)
(1, 2, 'hello', 4, 5.3, True)
[In [15]: a_list[2] = 'bye'
[In [16]: print(a_list)
[1, 2, 'bye', 4, 5.3, True]
[In [17]: a_tuple[2] = 'bye'
-----
TypeError                                         Traceback (most recent call last)
Input In [17], in <cell line: 1>()
      1 a_tuple[2] = 'bye'
TypeError: 'tuple' object does not support item assignment
```

The Python keyword None

None

The keyword `None` refers to a variable / value which exists, but it is not yet defined.

The keyword `None` has the following value: `NoneType`

Assigning the `None` value to variable does not delete it:
space for the variable content is reserved
and filled with the value `None`

Use the keyword `is` to check whether a variable is `None`.

```
[In [8]: a = None
[In [9]: type(a)
Out[9]: NoneType
[In [10]: a is None
Out[10]: True
```

Casting functions

To convert one Python type into another, there are casting functions.

Their name is that of the type which we want to convert the argument type into.

```
[In [5]: float(3)
Out[5]: 3.0

[In [6]: str(3.0)
Out[6]: '3.0'

[In [7]: int('three')
-----
ValueError                                Traceback (most recent call last)
Input In [7], in <cell line: 1>()
----> 1 int('three')

ValueError: invalid literal for int() with base 10: 'three'
```


Python: conditions, blocks, indentations

Conditional instructions

```
if (my_var > your_var):  
    print("My var is bigger than yours")  
  
if (my_var-your_var) <= 1:  
    print("...but not so much")
```

Python: conditions, blocks, indentations

Conditional instructions



```
if (my_var > your_var):
    print("My var is bigger than yours")

    if (my_var-your_var) <= 1:
        print "...but not so much"
```

A diagram illustrating Python code structure. The code shows two nested conditional blocks. The outer block starts with `if (my_var > your_var):` and contains a single statement `print("My var is bigger than yours")`. This statement is preceded by a red arrow pointing from the text "indentation (4 space or tab)". The inner block starts with `if (my_var-your_var) <= 1:` and contains a single statement `print "...but not so much"`. Both the outer and inner blocks are enclosed in dashed red rectangular boxes.

Python: conditions, blocks, indentations

Additional conditions are added with **elif**

```
if (my_var > your_var):
    print("My var is bigger than yours")
    if (my_var-your_var) <= 1:
        print("...but not so much")
    elif (my_var-your_var) <= 5:
        print("...quite a bit")
    else:
        print("...a lot")
```

Python: loops

For / while loops

```
for item in my_list:  
    print(item)
```

```
for i in range(10):  
    print(i)
```

```
i=0  
while i<10:  
    print(i)  
    i = i+1
```

Python: loops

For / while loops

```
for item in my_list:  
    print(item)
```

```
for i in range(10):  
    print(i)
```

```
i=0  
while i<10:  
    print(i)  
    i = i+1
```

given a list of numbers

for each element in the list:
if the element is smaller than 5:
then, print it

Pseudo-code:

what to do

Actual code:
how to do

```
number_list = [13,12,34,4,51,8,27,18]  
  
for item in number_list:  
    if item < 5:  
        print(item)
```

Python: loops

Online manuals, tutorials, official Python documentation help

Python range() Function

« Built-in Functions

Example

Create a sequence of numbers from 0 to 5, and print each item in the sequence:

```
x = range(6)
for n in x:
    print(n)
```

Try it Yourself »

Definition and Usage

The `range()` function returns a sequence of numbers, starting from 0 by default, and increments by 1 (by default), and stops before a specified number.

Get your own Python Server

Syntax

```
range(start, stop, step)
```

Parameter Values

Parameter	Description
<code>start</code>	Optional. An integer number specifying at which position to start. Default is 0
<code>stop</code>	Required. An integer number specifying at which position to stop (not included).
<code>step</code>	Optional. An integer number specifying the incrementation. Default is 1

More Examples

Example

Create a sequence of numbers from 3 to 5, and print each item in the sequence:

```
x = range(3, 6)
for n in x:
    print(n)
```

Python: loops

For / while loops

```
for item in my_list:  
    print(item)
```

```
for i in range(10):  
    print(i)
```

```
i=0  
while i<10:  
    print(i)  
    i = i+1
```

Python: loops

For / while loops

```
for item in my_list:  
    print(item)
```

```
for i in range(10):  
    print(i)
```

```
i=0  
while i<10:  
    print(i)  
    i = i+1
```

```
for i, item in enumerate(my_list):  
    print(i, item)
```

```
>>> my_list = ('orange', 'lemon', 'apple', 'strawberry')  
>>> for i, item in enumerate(my_list):  
...     print('position {}: item {}'.format(i, item))  
...  
position 0: item orange  
position 1: item lemon  
position 2: item apple  
position 3: item strawberry  
>>> █
```

```
>>> my_list = [1, 2, 3, 'one', 'two', 'three']  
>>> type(my_list)  
<class 'list'>  
>>> for i, number in enumerate(my_list):  
...     print('Element {} is {}'.format(i, number))  
...  
Element 0 is 1  
Element 1 is 2  
Element 2 is 3  
Element 3 is one  
Element 4 is two  
Element 5 is three
```

Python: exercises

Esercizi

1. – Costruire una lista di 10 nomi propri e farsi stampare la stringa “Ciao <nome>”

2. – Data la lista composta dai seguenti elementi:
2 3 4 5 12 13 14 15 0 1 22 23 24 25 32 30 34 35
scrivere un breve script che, a partire dal terzo elemento, restituisca per ogni elemento la somma dei due elementi precedenti se l’elemento è maggiore di 3 e minore di 20, dei due successivi se è maggiore di 20 e minore di 33, l’elemento stesso altrimenti.

3. – Costruire una lista data dall’unione di due liste:
la prima contenente 30 elementi che siano tutti numeri pari,
la seconda contenente 40 elementi che siano tutti numeri dispari.
Usando il ciclo while, scorrere gli elementi della lista unione delle due liste e farsi stampare “<numero> è pari” finché il numero è pari.

4. – Costruire un dizionario (ad es.: lista della spesa) e stampare le singole coppie chiave/valore.

5. – Costruire una tupla e farsi stampare la coppia indice, elemento servendosi di enumerate.

Tuple packing / unpacking

```
[>>> my_tuple = (1, 2, 3)      # tuple packing
[>>> type(my_tuple)
<class 'tuple'>
[>>>
[>>> a, b, c = my_tuple      # tuple unpacking or assignment
[>>> print('a = ', a) ; print('b = ', b) ; print('c = ', c)
a = 1
b = 2
c = 3
```

Iterators

```
[>>> for i in range(2, 20, 5):
...     print(i)
...
2
7
12
17
[>>>
[>>> print(range(2, 20, 5))
range(2, 20, 5)
[>>>
[>>> print(list(range(2, 20, 5)))
[2, 7, 12, 17]
```

Python: extra

Iterators

```
[>>> for i in range(2, 20, 5):  
[...     print(i)  
[...  
2  
7  
12  
17  
[>>>  
[>>> print(range(2, 20, 5))  
range(2, 20, 5)  
[>>>  
[>>> print(list(range(2, 20, 5)))  
[2, 7, 12, 17]
```

list()

```
>>> my_string = 'info'  
>>> my_string  
'info'  
>>> a = list(my_string)  
>>> a  
['i', 'n', 'f', 'o']
```

Python: modules

Python features several **modules**.

Each module contains instructions, constants and functions already available for the users.

Modules (like libraries) can be imported through the **import** statement.

Instructions of the module are available within the module **namespace** (i.e. the name of the module)

```
>>> a = sqrt(9)
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
NameError: name 'sqrt' is not defined
>>>
>>> import math
>>> b = math.sqrt(9)
>>> print(b)
3.0
```

Python: modules

Python features several **modules**.

Each module contains instructions, constants and functions already available for the users.

Modules (like libraries) can be imported through the **import** statement.

Instructions of the module are available within the module **namespace** (i.e. the name of the module)

Python » English 3.12.0 3.12.0 Documentation » The Python Standard Library » Numeric and Mathematical Modules » **math — Mathematical functions**

Table of Contents

math — Mathematical functions

- Number-theoretic and representation functions
- Power and logarithmic functions
- Trigonometric functions
- Angular conversion
- Hyperbolic functions
- Special functions
- Constants

math — Mathematical functions

This module provides access to the mathematical functions defined by the C standard.

These functions cannot be used with complex numbers; use the functions of the same name from the `cmath` module if you require support for complex numbers. The distinction between functions which support complex numbers and those which don't is made since most users do not want to learn quite as much mathematics as required to understand complex numbers. Receiving an exception instead of a complex result allows earlier detection of the unexpected complex number used as a parameter, so that the programmer can determine how and why it was generated in the first place.

The following functions are provided by this module. Except when explicitly noted otherwise, all return values are floats.

Power and logarithmic functions

math.cbrt(x)
Return the cube root of x .

New in version 3.11.

math.exp(x)
Return e raised to the power x , where $e = 2.718281\dots$ is the base of natural logarithms. This is usually more accurate than `math.e ** x` or `pow(math.e, x)`.

math.exp2(x)
Return 2 raised to the power x .

New in version 3.11.

<https://docs.python.org/3/library/math.html>

Python: modules

Python features several **modules**.

Each module contains instructions, constants and functions already available for the users.

Modules (like libraries) can be imported through the **import** statement.

Instructions of the module are available within the module **namespace** (i.e. the name of the module)

It is possible to map the namespace of the module we are importing into an **alias**:

```
In [24]: import numpy as np
```

<https://numpy.org/doc/stable/>



The fundamental package for scientific computing with Python

LATEST RELEASE: NUMPY 1.26. VIEW ALL RELEASES

Python: .format (additional features)

```
In [11]: my_list  
Out[11]: [1, 2, 3, 'a', 'b', 'c']  
  
In [12]: print('1st element is {} 2nd element is {} 3rd element is {}'.format('dog', 4200, my_list))  
1st element is dog 2nd element is 4200 3rd element is [1, 2, 3, 'a', 'b', 'c']
```

```
In [24]: import numpy as np  
  
In [25]: np.pi  
Out[25]: 3.141592653589793  
  
In [26]: print('We stop at:\n integer part: {:.0f}\n second digit: {:.2f}\n 6th digit: {:.6f}'.format(np.pi))  
We stop at:  
integer part: 3  
second digit: 3.14  
6th digit: 3.141593
```

Python: round

round() rounds to the closest “integer”

```
>>> my_float = 7.8
>>> round(my_float)
8
>>> type(round(my_float))
<class 'int'>
>>> my_float_2 = 7.3
>>> round(my_float_2)
7
```

```
>>> import numpy
>>> a = numpy.pi
>>> print(a)
3.141592653589793
>>> b = round(a, 3)
>>> c = round(a, 5)
>>> print(b, c)
3.142 3.14159
```

round

Description

Returns a floating point number rounded to a specified number of decimal places.

Syntax

`round (number[, decimalplaces])`

number

Required. An integer or float number.

decimalplaces

Optional. An integer specifying the number of decimal places. If omitted, defaults to zero.

Return Value

float

Exercises

Write a Python script that displays the following:

- the factorial of 39
- the number e
- the logarithm (in base e, 2, 3 and 10) of 1500
- a random number in the range [0, 1] (hint: use the function *random*)
- a random float in the range [3.5, 13.5]
- an integer in the range [5, 50]
- an even integer in the range [6, 60]
- compute the mode of the list [1, 1, 2, 3, 3, 3, 3, 4]
- compute the mean of the list [1, 2, 3, 4, 5, 6, 7, 8]

Useful webpages:

<https://docs.python.org/3/library/math.html>

<https://docs.python.org/3/library/random.html>

<https://docs.python.org/3/library/statistics.html>