



Programming in Java – Part 05

Streams



Paolo Vercesi
ESTECO SpA



Agenda



Record primer

Streams

Working with streams

Specialized streams & stream creation

Parallel streams

Record

The **record** keyword defines classes designed to be **data transfer objects** also called **data carriers**

```
public record Dish(String name, boolean vegetarian, int calories, Type type) {  
  
    public enum Type {MEAT, FISH, OTHER}  
  
    @Override  
    public String toString() {  
        return name;  
    }  
}
```

Record classes automatically generate

- *Immutable fields*
- *A canonical constructor*
- *An accessor method for each element*
- *The equals() method*
- *The hashCode() method*
- *The toString() method*



To know more about records

A good compact reference

<https://blogs.oracle.com/javamagazine/post/java-records-constructor-methods-inheritance>



Exercise

```
public record Dish(String name, boolean vegetarian, int calories, Type type) {  
  
    public enum Type {MEAT, FISH, OTHER}  
  
    @Override  
    public String toString() {  
        return name;  
    }  
}
```

```
List<Dish> menu = List.of(  
    new Dish("pork", false, 800, Type.MEAT),  
    new Dish("beef", false, 700, Type.MEAT),  
    new Dish("chicken", false, 400, Type.MEAT),  
    new Dish("french fries", true, 530, Type.OTHER),  
    new Dish("rice", true, 350, Type.OTHER),  
    new Dish("season fruit", true, 120, Type.OTHER),  
    new Dish("pizza", true, 550, Type.OTHER),  
    new Dish("prawns", false, 300, Type.FISH),  
    new Dish("salmon", false, 450, Type.FISH)  
);
```

Given a list of Dishes, create the list of dishes with less than 400 calories and sort them by the number of calories



The “imperative” solution - How

Explicit iterations

```
List<Dish> lowCaloricDishes = new ArrayList<>();  
for (Dish dish : menu) {  
    if (dish.calories() < 400) {  
        lowCaloricDishes.add(dish);  
    }  
}  
  
lowCaloricDishes.sort(Comparator.comparingInt(Dish::calories));  
  
List<String> lowCaloricDishesName = new ArrayList<>();  
for (Dish dish : lowCaloricDishes) {  
    lowCaloricDishesName.add(dish.name());  
}
```

Intermediate data

[season fruit, prawns, rice]

We provide the solution by mixing the logic to solve the problem
with **explicit iterations** and **intermediate data**



The “declarative” solution - What


`SELECT name FROM dish WHERE calories < 400 ORDER BY calories`

```
List<String> lowCaloricDishesName = menu.stream()
    .filter(d -> d.calories() < 400)
    .sorted(Comparator.comparing(Dish::calories))
    .map(Dish::name)
    .toList();
```

[season fruit, prawns, rice]

The last **operator** decides the return type of the method chain, **fluent interface**

With streams, you make a continuous use of **lambdas** and **method references**, even if lambdas and method references are not part of that API!



Imperative vs declarative

Imperative you focus on writing
how to obtain what you want

```
List<Dish> lowCaloricDishes = new ArrayList<>();  
for (Dish dish : menu) {  
    if (dish.calories() < 400) {  
        lowCaloricDishes.add(dish);  
    }  
}  
  
lowCaloricDishes.sort(Comparator.comparingInt(Dish::calories));  
  
List<String> lowCaloricDishesName = new ArrayList<>();  
for (Dish dish : lowCaloricDishes) {  
    lowCaloricDishesName.add(dish.name());  
}
```

Declarative you focus on declaring
what you want

```
List<String> lowCaloricDishesName = menu.stream()  
    .filter(d -> d.calories() < 400)  
    .sorted(Comparator.comparing(Dish::calories))  
    .map(Dish::name)  
    .toList();
```

*This is not coming for free; the declarative approach needs higher level abstractions provided by the Stream API that introduce an *internal DSL* (Domain Specific Language) on top of Java*

In other areas of the Java language, you don't have such kind of abstractions and maybe you can create them by yourself




Stream operations

Streams are used to perform computations made of **operations** composed into **stream pipelines**

A stream pipeline consists of

- a **source**, that might be an array, a collection, a generator function, an I/O channel, ...
- a chain of zero or more **intermediate operations**, transforming a stream into another stream
- a **terminal operation**, producing a result or a side-effect, e.g., `count()` or `forEach(Consumer)`




```
List<String> firstFiveLowCalories = menu.stream()
    .filter(d -> d.calories() < 400)
    .sorted(Comparator.comparing(Dish::calories))
    .limit(5)
    .map(Dish::name)
    .toList();
```

The result type depends on the terminal operation, only

Streams are **lazy**, computation on the source data is only performed when the **terminal operation is initiated**, and source elements are consumed only as needed

Streams cannot be reused, you can pipeline just one intermediate or final operation



What's a Stream

A *sequence of elements from a source, that supports data-processing operations*



Some intermediate & terminal operators

Operation	Type	Return type	Argument of the operation	Function descriptor
filter	Intermediate	Stream<T>	Predicate<T>	T -> boolean
map	Intermediate	Stream<R>	Function<T, R>	T -> R
limit	Intermediate	Stream<T>	int	
skip	Intermediate	Stream<T>	int	
sorted	Intermediate	Stream<T>	Comparator<T>	(T, T) -> int
distinct	Intermediate	Stream<T>		
forEach	Terminal	void	Consumer<T>	T -> void
count	Terminal	long		
toList	Terminal	List<T>		
collect	Terminal	(generic)	Collector<T, A, R>	<i>not a functional interface</i>





Working with streams

Intermediate & terminal operations

Intermediate operations

Filtering

- selecting elements with predicate
- selecting unique elements

Sorting

Slicing

- slicing using a predicate
- truncating a stream
- skipping a stream

Mapping

- transform each element
- flattening streams

Peeking

Terminal operations

Counting elements

Consuming

Matching

- anyMatch, allMatch, noneMatch

Finding


- findAny, findFirst

Reducing

Collecting


Grouping

Partitioning





Intermediate operations



Filtering with filter() and distinct()

Selecting elements by using a predicate


```
List<Dish> vegetarianMenu = menu.stream()  
    .filter(Dish::vegetarian) _____  
    .toList();
```

Predicate taking a Dish and
returning a boolean

Selecting unique elements

```
List<Integer> numbers = Arrays.asList(1, 2, 1, 3, 3, 2, 4);  
numbers.stream()  
    .filter(i -> i % 2 == 0)  
    .distinct() _____  
    .forEach(System.out::println);
```

Remove duplicates
accordingly to hashCode()
and equals()



Sorting

```
List<String> cities = List.of("Trieste", "Gorizia", "Udine", "Pordenone");  
cities.stream()  
    .sorted()  
    .forEach(System.out::println);
```

*Sorting based on the natural
order of a Comparable class*

```
List<Dish> menu = Dish.menu;  
menu.stream()  
    .sorted(Comparator.comparing(Dish::calories))  
    .forEach(System.out::println);
```

*Sorting based on a custom
Comparator*



Conditional slicing with takeWhile() and dropWhile()

```
List<Dish> specialMenu = List.of(  
    new Dish("seasonal fruit", true, 120, Type.OTHER),  
    new Dish("prawns", false, 300, Type.FISH),  
    new Dish("rice", true, 350, Type.OTHER),  
    new Dish("chicken", false, 400, Type.MEAT),  
    new Dish("french fries", true, 530, Type.OTHER));
```


Select dishes with less than 320 calories

```
List<Dish> filteredMenu = specialMenu.stream()  
    .takeWhile(dish -> dish.calories() < 320)  
    .toList();
```

Select dishes with more than 320 calories

```
List<Dish> filteredMenu = specialMenu.stream()  
    .dropWhile(dish -> dish.calories() < 320)  
    .toList();
```

Assume the stream is ordered by
calories ascending



Unconditional slicing with limit() and skip()

```
List<Dish> specialMenu = Arrays.asList(  
    new Dish("seasonal fruit", true, 120, Type.OTHER),  
    new Dish("prawns", false, 300, Type.FISH),  
    new Dish("rice", true, 350, Type.OTHER),  
    new Dish("chicken", false, 400, Type.MEAT),  
    new Dish("french fries", true, 530, Type.OTHER));
```

Select the first three dishes with less than 500 calories

```
List<Dish> filteredMenu = specialMenu.stream()  
    .filter(dish -> dish.calories() < 500)  
    .limit(3)  
    .toList();
```

Stream size is limited to 3

Skip the first two dishes with more than 300 calories

```
List<Dish> filteredMenu = specialMenu.stream()  
    .filter(dish -> dish.calories() > 300)  
    .skip(2)  
    .toList();
```

Skip the first two elements



Mapping

```
List<String> dishNames = menu.stream()  
    .map(Dish::name)  
    .toList();
```

Map each dish to its name

```
[pork, beef, chicken, french fries, rice, season fruit, pizza, prawns, salmon]
```

```
List<String> dishNames = menu.stream()  
    .map(Dish::name)  
    .map(String::toUpperCase)  
    .toList();
```

Map each dish to its uppercase name

```
[PORK, BEEF, CHICKEN, FRENCH FRIES, RICE, SEASON FRUIT, PIZZA, PRAWNS, SALMON]
```

```
List<Integer> dishNameLengths = menu.stream()  
    .map(Dish::name)  
    .map(String::length)  
    .toList();
```

Map each dish to its name length

```
[4, 4, 7, 12, 4, 12, 5, 6, 6]
```



Flattening streams

The `flatMap` operation is used when you need to transform the element of a stream into new streams and you want to flatten these new streams into a single stream

Example create a single stream from two streams

```
Stream.of(Stream.of(1, 2), Stream.of(3, 4))  
    .flatMap(x -> x)  
    .forEachOrdered(System.out::println);
```

Can be replaced by
`Function.identity`

Example create a single stream from two lists

```
Stream.of(List.of(1, 2), List.of(3, 4))  
    .flatMap(x -> x.stream())  
    .forEachOrdered(System.out::println);
```

Usually, we use `flatMap` with a function that transform the current type into a Stream



Flattening streams


Example: we have a list of strings and we want to create a list of unique characters contained in these strings

```
List<String> strings = List.of("Java", "is", "great!");
List<String> distinct = strings.stream()
    .map(s -> s.split(""))
    .flatMap(Arrays::stream)
    .distinct()
    .toList();
System.out.println(distinct);
```

```
[J, a, v, i, s, g, r, e, t, !]
```



Flattening streams



Cartesian product

Exercise: Given two lists of numbers, how would you return all pairs of numbers?

For example, given a list [1, 2, 3] and a list [3, 4] you should return [(1, 3), (1, 4), (2, 3), (2, 4), (3, 3), (3, 4)].

```
List<Integer> list1 = List.of(1, 2, 3); List<Integer> list2 = List.of(3, 4);
```

We start by traversing list1, then for each element of list1 we must traverse list2 and create a list with the two elements coming from the two streams

```
list1.stream().map(i1 -> list2.stream().map(i2 -> List.of(i1, i2)))
```

Stream<Stream<List<Integer>>>

We mapped i1 to a stream of couples of i1 with elements from list2, now we must flat this map

```
list1.stream()
    .map(i1 -> list2.stream().map(i2 -> List.of(i1, i2)))
    .flatMap(Function.identity())
    .toList()
```

Stream<List<Integer>>

or

```
list1.stream()
    .flatMap(i1 -> list2.stream().map(i2 -> List.of(i1, i2))).toList()
```




peek()

Stream<T> peek(Consumer<? super T> action)

*Returns the same stream after consuming the item,
it doesn't change the stream*

```
Optional<Integer> value = Stream.of(1, 2, 3, 4)
    .peek(x -> System.out.println("processing: " + x))
    .filter(n -> n % 2 == 0)
    .peek(y -> System.out.println("accepted " + y))
    .findFirst();
```

only for *debugging!*





Terminal operations

Counting and consuming elements

Counting elements

```
long count = Stream.of(1, 2, 3, 4)
    .filter(n -> n % 2 == 0)
    .count();
```

```
2
```

Consuming elements with forEach

```
Stream.of(1, 2, 3, 4)
    .filter(n -> n % 2 == 0)
    .forEach(System.out::println);
```

```
2
4
```

Matching

Is there at least one vegetarian dish?

```
boolean atLeastOneVegetarian = menu.stream()  
    .anyMatch(Dish::vegetarian);
```

Is the menu vegetarian only?

```
boolean vegetarianOnly = menu.stream()  
    .allMatch(Dish::vegetarian);
```

Are all dishes free from meat and fish?

```
boolean noMeatNorFish = menu.stream()  
    .noneMatch(d -> d.type() == Type.MEAT || d.type() == Type.FISH);
```



Finding with findAny()

Find any vegetarian dish

```
Optional<Dish> dish = menu.stream()  
    .filter(Dish::vegetarian)  
    .findAny();
```

*The operation findAny() returns an **Optional** because it might not find any match*

Find a vegetarian dish with meat

```
Optional<Dish> dish = menu.stream()  
    .filter(Dish::vegetarian)  
    .filter(d -> d.type() == Type.MEAT)  
    .findAny();
```

*The **Optional<T>** class to model the fact that a method call can return something that does not exist*



Working with Optional

```
Optional<String> optionalName = menu.stream()
    .filter(Dish::vegetarian)
    .map(Dish::name)
    .findAny();

if (optionalName.isPresent()) {
    System.out.println(optionalName.get());
}
```

Imperative style, get the value out of the Optional by using `isPresent()` and `get()` and do some if-programming

Never use `get()` unless you have checked if the value `isPresent()`

```
menu.stream()
    .filter(Dish::vegetarian)
    .map(Dish::name)
    .findAny()
    .ifPresent(name -> System.out.println(name));
```

Declarative (functional) style, ask the optional to do something by using `ifPresent(Consumer<T> action)`

The API of Optional contains many other methods for functional style programming

```
public T get() throws NoSuchElementException
public boolean isPresent()
public void ifPresent(Consumer<? super T> action)
```



Digression - Using Optional as return value


If you have a method that can *optionally return null*, you can consider to return an *Optional*

Optional is a *final class* with a *private constructor*, to build an optional we use one of three provided factory methods

```
public static <T> Optional<T> ofNullable(T value)  
  
public static <T> Optional<T> empty()  
  
public static <T> Optional<T> of(T value) throws NullPointerException
```

There is no way to wrap a null value into an *Optional* object, an *Optional* can be empty but it *cannot contain a null value*

If a method declares to return *Optional* then you should *never return null instead of an Optional*



Finding with findFirst()

Find any vegetarian dish

```
Optional<Dish> dish = menu.stream()  
    .filter(Dish::vegetarian)  
    .findAny();
```

Find the first vegetarian dish

```
Optional<Dish> dish = menu.stream()  
    .filter(Dish::vegetarian)  
    .findFirst();
```

Why we have both findAny() and findFirst()?

*Some streams are said to be **ordered** because they have a defined **encounter order***

*E.g., streams obtained from **Lists** or from a **sort()** intermediate operation do have an encounter order*

*When processing an ordered stream in parallel, **findFirst()** is **more constraining** than **findAny()***

ordered \Leftrightarrow encounter order \Leftrightarrow subject to ordering constraint



Reducing (folding)

Reducing is about combining the elements of a stream into a **single value**

To answer questions like

1. What's the sum of all the calories in the menu?
 - We need to sum up all the calories' values
2. What's the highest calories dish in the menu?
 - We need to compare all the calories values

We need to introduce new terminal operations to reduce the stream into a single value by combining all the elements of a stream to compute that single value

To perform a reduction, we need an **associative** and **stateless** function that combines two values into a single one


A **bifunction** like $(a,b) \rightarrow c$

where a is the previous value, b is the current value and c is the result

If a , b , and c are all of the same type we need just a binary operator (e.g., $+$)

So far, we have seen terminal operations that do not combine the elements of the stream, e.g., `matchAll`, `matchNone`, `findAny`, `findFirst`, etc.

In the functional programming jargon, we need a **fold** operation




Reducing API

The Stream interface contains three methods to reduce the stream

`Optional<T> reduce(BinaryOperator<T> accumulator)`

`T reduce(I identity, BinaryOperator<T> accumulator)`

`<U> U reduce(U identity, BiFunction<U,? super T,U> accumulator, BinaryOperator<U> combiner)`



Reducing example 1/3

Optional<T> reduce(BinaryOperator<T> accumulator)

Find the highest calories dish

```
Optional<Integer> dish = menu.stream()  
    .map(Dish::calories)  
    .reduce((a, b) -> a > b ? a : b);
```

Can we use a method reference?

```
Optional<Integer> dish = menu.stream()  
    .map(Dish::calories)  
    .reduce(Integer::max);
```

Sum up all the calories in the menu

```
Optional<Integer> sum = menu.stream()  
    .map(Dish::calories)  
    .reduce((a, b) -> a + b);
```

Can we use a method reference?

```
Optional<Integer> sum = menu.stream()  
    .map(Dish::calories)  
    .reduce(Integer::sum);
```

Why Optional?




Reducing example 2/3

`I reduce(I identity, BinaryOperator<T> accumulator)`

*The identity value is used as **initial value** for the reduction process, so no optional is needed*

*The identity value is an **identity for the accumulator** function, so that
accumulator.apply(identity, identity) evaluates as the identity value*

```
Integer calories = menu.stream()  
    .map(Dish::calories)  
    .reduce(0, Integer::sum);
```



Reducing example 3/3

```
<U> U reduce(U identity, BiFunction<U,? super I,U> accumulator, BinaryOperator<U> combiner)
```

The combiner is used to combine the values coming from parallel computations

The identity value is an identity for the combiner function, so combiner.apply(identity, identity) returns the identity value

The accumulator takes the accumulated value, the current value and returns the new accumulated value

```
Integer calories = menu.stream()  
    .reduce(0, (a, c) -> a + c.calories(), Integer::sum);
```



One more reducing example

We want to concatenate strings by separating them by a comma

```
List<String> cities = Arrays.asList("Trieste", "Gorizia", "Udine", "Pordenone");
String reduced1 = cities.stream().reduce("", (x, y) -> x + ", " + y);
System.out.println(reduced1);
```

, Trieste, Gorizia, Udine, Pordenone

The provided identity IS NOT
an identity for the accumulator
function

```
Optional<String> reduced2 = cities.stream().reduce((x, y) -> x + ", " + y);
reduced2.ifPresent(System.out::println);
```

Trieste, Gorizia, Udine, Pordenone



Collecting

Collecting is a reduction operation that accumulates elements into a “mutable” container

```
<R> R collect(Supplier<R> supplier, BiConsumer<R,? super T> accumulator, BiConsumer<R,R> combiner)
```

Provides the mutable container of type R

Accumulates the elements of type T into the mutable container of type R

Combines the elements from intermediate container of type R

```
List<String> dishNames = menu.stream()
    .map(Dish::name)
    .collect(ArrayList::new, ArrayList::add, ArrayList::addAll);
```

```
List<String> dishNames = menu.stream()
    .collect(ArrayList::new, (a, d) -> a.add(d.name()), ArrayList::addAll);
```



Collecting using a Collector

<R,A> R collect(Collector<? super I,A,R> collector)

```
public interface Collector<T, A, R> {  
    Supplier<A> supplier();  
  
    BiConsumer<A, T> accumulator();  
  
    BinaryOperator<A> combiner();  
  
    Function<A, R> finisher();  
  
    ...  
}
```

A function that creates and returns a new mutable result container

A function that folds a value into a mutable result container

A function that accepts two partial results and merges them, the combiner function may fold state from one argument into the other and return that, or may return a new result container

A function which transforms the intermediate result to the final result, e.g., to return an unmodifiable collection

The **Collectors** utility class provides **lots of static methods** to conveniently create an instance of the most common collectors



Collecting using Collectors, `toList()`, and `toArray()`


```
List<String> dishNames = menu.stream()  
    .map(Dish::name)  
    .collect(Collectors.toList());
```

```
List<String> dishNames = menu.stream()  
    .map(Dish::name)  
    .collect(Collectors.toUnmodifiableList());
```

```
Map<String, Dish> nameDishMap = menu.stream()  
    .collect(Collectors.toMap(Dish::name, Function.identity()));
```

```
List<String> dishNames = menu.stream()  
    .map(Dish::name)  
    .toList();
```

```
String[] dishNames = menu.stream()  
    .map(Dish::name)  
    .toArray();
```



Joining Strings

```
String result = menu.stream()
    .map(Dish::name)
    .map(name -> name.split(""))
    .flatMap(Arrays::stream)
    .distinct()
    .collect(Collectors.joining(", "));

System.out.println(result);
```

```
p, o, r, k, b, e, f, c, h, i, n, , s, a, u, t, z, w, l, m
```



Grouping

*In the collect() operation we can specify a grouping operation to **classify** the element of the stream in different **groups***


```
Map<Type, List<Dish>> dishesByType =  
    menu.stream().collect(Collectors.groupingBy(Dish::type));
```

Collect operation

Factory method to create
a grouping collector

Classifier

```
{FISH=[prawns, salmon], OTHER=[french fries, rice, season fruit,  
pizza], MEAT=[pork, beef, chicken]}
```



Partitioning

*Partitioning is a special case of grouping, that have a predicate called a **partitioning function** as a classification function*


```
Map<Boolean, List<Dish>> partitionedMenu =  
    menu.stream().collect(Collectors.partitioningBy(Dish::vegetarian));
```

Collect operation

Factory method to create
a grouping collector


Classifier

```
{false=[pork, beef, chicken, prawns, salmon],  
true=[french fries, rice, season fruit, pizza]}
```





Specialized streams and stream creation



Numeric streams

The Streams API provides primitive stream specializations that support specialized methods to work with streams of numbers, to make common numeric reductions more efficient

These specialized streams are `IntStream`, `DoubleStream`, and `LongStream`

We can move from object streams to primitive streams by using one of the `mapToInt/Double/Long` methods

```
IntStream intStream = menu.stream().mapToInt(Dish::getCalories);
```


```
OptionalInt maxCalories = intStream.max();
```

We can move from specialized primitive streams to Object streams by using the `boxed` method

```
Stream<Integer> integerStream = intStream.boxed();
```

or by using the `mapToObj` method

```
intStream.mapToObj(x -> new int[] {x, x*2})
```




Numeric streams reductions

<u>OptionalDouble</u>	<u>average</u> ()
<u>OptionalInt/OptionalDouble/OptionalLong</u>	<u>max</u> ()
<u>OptionalInt/OptionalDouble/OptionalLong</u>	<u>min</u> ()
int/double/long	<u>sum</u> ()
<u>IntSummaryStatistics/</u> <u>DoubleSummaryStatistics/</u> <u>LongSummaryStatistics</u>	<u>summaryStatistics</u> ()

```
IntStream stream = IntStream.of(1, 2, 3, 5, 7, 11, 13, 17, 19);
IntSummaryStatistics statistics = stream.summaryStatistics();
System.out.println(statistics);
```

```
IntSummaryStatistics{count=9, sum=78, min=1, average=8,666667, max=19}
```



Building streams from arrays and collections

Methods in Collection interface

```
default Stream<E> parallelStream()  
default Stream<E> stream()
```

```
List.of("SDM", 2022, 2023).stream();
```

Build a stream of Objects

Methods in Arrays class

```
static DoubleStream stream(double[] array)  
static DoubleStream stream(double[] array, int startInclusive, int endExclusive)  
static IntStream stream(int[] array)  
static IntStream stream(int[] array, int startInclusive, int endExclusive)  
static LongStream stream(long[] array)  
static LongStream stream(long[] array, int startInclusive, int endExclusive)  
static <T> Stream<T> stream(T[] array)  
static <T> Stream<T> stream(T[] array, int startInclusive, int endExclusive)
```

```
int[] numbers = {2, 3, 5, 7, 11, 13};  
Arrays.stream(numbers);
```

Build an IntStream



Building streams by enumerating the elements

Stream.empty()

Stream.of(T ...)

Stream.ofNullable(T t)

```
Stream.of("Java", "is", "great!");
Stream.of(null, new Object(), List.of("Java"));
IntStream.of(2, 3, 5, 7, 11);
DoubleStream.of(3.14, 6.28, 9.42);
```

Stream.builder()

```
Builder<String> b = Stream.builder();
b.add("Java");
b.add("is");
b.add("great!");
Stream<String> s = b.build();
```

Stream.concat(

 Stream<? extends T> a,
 Stream<? extends T> b)

```
Stream<String> a = Stream.of("Java", "is", "great!");
Stream<String> b = Stream.of("Hello", "World!");
Stream<String> c = Stream.concat(a, b);
```

Int/LongStream.range(
 startInclusive,
 endExclusive)

Int/LongStream.rangeClosed(
 startInclusive,
 endInclusive)

```
IntStream.range(0, 100);
[0, 1, 2, ..., 99]
IntStream.rangeClosed(0, 99);
[0, 1, 2, ..., 99]
```



Building infinite streams

Java provides three methods to generate infinite streams

```
static <T> Stream<T> generate(Supplier<? extends T> s)
static <T> Stream<T> iterate(T seed, UnaryOperator<T> f)
static <T> Stream<T> iterate(T seed, Predicate<? super T> hasNext, UnaryOperator<T> next)
```

This part of the stream API is used to generate data rather than to process data

```
DoubleStream randomGenerator = DoubleStream.generate(Math::random);
double[] randomNumbers = randomGenerator
    .limit(100)
    .toArray();
```

We can limit the generated data by using `limit(int)` or `takeWhile(Predicate)`

There are no other ways to stop the stream, but throwing an unchecked exception



Fibonacci

```
Stream.iterate(new int[] {0, 1}, a -> new int[] { a[1], a[0]+ a[1]})  
    .limit(10)  
    .map(a -> a[0])  
    .forEach(System.out::println);
```

Generates the first ten
Fibonacci numbers

```
Stream.iterate(new int[] {0, 1}, a -> new int[] { a[1], a[0]+ a[1]})  
    .map(a -> a[0])  
    .takeWhile(a -> a < 100)  
    .forEach(System.out::println);
```

Generates Fibonacci
numbers smaller than
100

```
Stream.iterate(new int[] {0, 1}, a -> a[0] < 100, a -> new int[] { a[1], a[0]+ a[1]})  
    .map(a -> a[0])  
    .forEach(System.out::println);
```

Exercise: rewrite the iteration by using a for loop


*In principle, you can replace any for loop with a stream iteration (if
you don't mutate variables outside the for loop)*

*Is there any **benefit** in using streams over for/while/foreach loops?*




Parallel streams

Parallel data processing



Parallel data processing



Parallel execution of a Stream

```
List<String> strings = List.of("Java", "is", "great!");
List<String> distinct = strings.stream()
    .map(s -> s.split(""))
    .parallel()
    .flatMap(Arrays::stream)
    .distinct()
    .toList();
System.out.println(distinct);
```



Sequential and parallel stream processing

A stream has just one execution mode that can be *parallel* or *sequential*

```
List<String> strings = List.of("Java", "is", "great!");
List<String> distinct = strings.stream()
    .map(s -> s.split(""))
    .parallel()
    .flatMap(Arrays::stream)
    .sequential()
    .distinct()
    .toList();
System.out.println(distinct);
```

The position of the *parallel()* or *sequential()* method in the pipeline is irrelevant

It is not possible to specify which operations must be performed in parallel and which sequentially

If there are more *parallel()* and *sequential()* method invocations in the pipeline, the *last one* sets the execution mode



Ordered and unordered streams

Some stream sources are naturally **ordered** and they define an **encounter order (ordering constraint)** for the elements of the stream, e.g., arrays, lists, etc.

Some operations process the stream elements by following that encounter order, e.g., **forEachOrdered()**, **findFirst()**

Processing the stream under the ordering constraint imposes a significant penalty for the parallel processing, this penalty is not relevant for sequential processing

It possible to reset the stream to an unordered state by invoking **unordered()**

```
List<String> strings = List.of("Java", "is", "great!");
List<String> distinct = strings.stream()
    .map(s -> s.split(""))
    .flatMap(Arrays::stream)
    .parallel()
    .unordered()
    .distinct()
    .toList();
System.out.println(distinct);
```

The ordering constraint is set also by the **sorted()** operation on otherwise unordered streams




Using parallel and sequential effectively

- It is *not possible to give a rule* on when to use parallel or not
 - size of data set, cost of the processing
 - hardware, operating system, JVM settings, e.g., memory assigned to the JVM
- Always compare the performance of sequential and parallel with an *appropriate benchmark*
- Try to reduce the boxing/unboxing operations, *use primitive stream* when possible
- Operations which rely on ordering don't perform well on *ordered streams in parallel*
 - use alternatives *findAny* instead of *findFirst*
 - make the stream unordered
- Given *N* the size of the data set, *Q* the approximate cost of processing one element, and *N*Q* the total cost of the computation
 - higher *Q* can imply *good performances in parallel*
 - low *N* can imply *bad performances in parallel*
- Operations that are blocking on asynchronous calls, e.g., I/O operations, can take benefit from a *different parallelization framework*
- Consider the *cost of the merging step* of the terminal operation
- The *source data stream* can impact the effectiveness of parallelization, that is based on the fork/join framework



Fork/join and parallel streams




*Stream parallelization
starts to operate at the level
of the data source*

Source	Decomposability
ArrayList	Excellent
IntStream.range	Excellent
HashSet	Good
TreeSet	Good
LinkedList	Poor
Stream.iterate	Poor

Note: in this context the terms fork and join refers to forking and joining both data and processes

References

To know more



Raoul-Gabriel Urma, Mario Fusco, Alan Mycroft
Modern Java in Action





esteco.com



Thank you!

