



Test Doubles



Dario Campagna

Head of Research and Development



What's a Test Double?

Any kind of pretend object that is used in place of a real object for testing purposes.

- Name coined by Gerard Meszaros.
- Comes from the notion of Stunt Doubles in movies.



Bobby Holland Hanton and Chris Hemsworth. Instagram/@bobbydazzler84




Tests in TDD

Should be fast, isolated, specific, deterministic.

Shouldn't depend on data or other fixtures outside the control of each test case.

- File system
- Databases
- Network communications
- Hardware systems
- ...



Types of test double


Meszaros defined five particular kinds of double.

- Dummy
- Fake
- Stubs
- Spies
- Mocks



Fake

Fake objects actually have working implementations, but usually take some shortcut which makes them not suitable for production.




Example: <https://github.com/dario-campagna/unicode-to-html-text-converter>



Stub

Stubs provide canned answers to calls made during the test, usually not responding at all to anything outside what's programmed in for the test.



Example: <https://github.com/dario-campagna/tire-pressure-monitoring-system>



Mock Objects

Mocks are objects pre-programmed with expectations which form a specification of the calls they are expected to receive.

```
public void testOrderSendsMailIfUnfilled() {
    Order order = new Order(TOMATO, 51);
    Mock warehouse = mock(Warehouse.class);
    Mock mailer = mock(MailService.class);
    order.setMailer((MailService) mailer.proxy());

    mailer.expects(once()).method("send");
    warehouse.expects(once()).method("hasInventory")
        .withAnyArguments()
        .will(returnValue(false));

    order.fill((Warehouse) warehouse.proxy());
}
```


Behavior under test (using jMock): we want to send an email message if we fail to fill an order.



Mock Objects

Introduced by Steve Freeman, Nat Pryce and others, it is really a technique for identifying types in a system based on the roles that objects play.

- Supports iterative interface discovery
- Changes the focus of TDD from state changes to interactions
- Useful to test interactions with third party code too



Mock Objects in practice

Three heuristics from the paper [Mock Roles, not Objects](#)

Types

Only mock types you own.

Getters

Don't use getters.

Accuracy and flexibility

Specify as little as possible in a test.



References



Mocks Aren't Stubs

<https://martinfowler.com/articles/mocksArentStubs.html>

Mock Roles, not Objects

<http://jmock.org/oopsla2004.pdf>

Growing Object Oriented Software

<http://www.growing-object-oriented-software.com>

How I learned to love mocks

<https://medium.com/@xpmatteo/how-i-learned-to-love-mocks-1-fb341b71328>