


Image Processing for Physicists

Prof. Pierre Thibault

pthibault@units.it

Linear imaging systems



Overview

- Definition of resolution
- Imaging systems:
 - Linear transfer model
 - Noise

Resolution

“the smallest detail that can be distinguished”

- No unique definition
 - Numerical aperture
 - Pixel size
 - Other criteria (PSF, MTF)
- What is “detail”?
- What is “distinguish”?

Resolution

1280 x 1280



640 x 640





- **not** simply given by pixel size (i.e. sampling rate)
- light quality, optics quality, detector quality, algorithm quality, noise, ...


Linear translation-invariant systems

- Point spread function (“impulse response”)
- LTI system: convolution with PSF

Point spread function




PSF and resolution



Measurement of the PSF

- Direct measurement from impulse


Example of measured PSF
(James Web Space Telescope)



Measurement of the PSF

- Line-spread function

PSF and translation invariance



- Not translation invariant \rightarrow PSF depends on position \rightarrow not a convolution
- Useful to model system imperfections, lens aberrations, ...

The Fourier picture


Optical transfer function

Response of a system to an oscillating signal with well-defined frequency


Modulation transfer function

Amplitude change of an oscillating signal for a given frequency





Eye MTF



Campbell-Robson curve







Measurement of MTF



source: <http://fotomagazin.de>



Phase transfer function

describes how an oscillating signal changes in phase due to system



Phase transfer function

describes how an oscillating signal changes in phase due to system





MTF of an ideal pixel

Pixel MTF

Modulation transfer function of a single detector pixel




Imaging as a linear filter



PSF examples


- isolated stars are essentially PSFs



source: www.apod.nasa.gov

PSF examples


Hubble flawed mirror deconvolution (correction for spherical aberration)



source: www.wikipedia.org



PSF examples

Super-resolution fluorescence imaging (STORM, STED, PALM, ...)



Contrast and noise

- Intensity operation:
higher contrast,
higher noise
- Contrast-to-noise
remains constant




Random variables

- random variable, sample space
- probability density function
- expectation value
- variance

Uniform distribution

- probability density function



- expectation value



- variance


- occurrence

Uniform distribution



Gaussian distribution

- probability density function





- expectation value

- variance

- occurrence


Gaussian distribution



Poisson distribution

- probability mass function



- expectation value



- variance

- occurrence

Poisson distribution




Poisson distribution




Many other distributions


Wrapped normal distribution




Rice distribution



Lorentz distribution



Gamma distribution



Detector noise (CCD)


- Various sources:
 - shot noise (photon statistics, Poisson)
 - dark current (thermal electronic fluctuations in semiconductor, Poisson)
 - readout noise (fluctuations during amplification and digitization, Gauss)
 - many other imperfections ...
- dark frame measures detector noise, hot pixels, dead pixels
- bright frame measures gain differences and imperfections (dust, etc)

dark frame

bright frame

raw image


calibrated image




Correlation & Convolution

Noise power spectrum




Red noise



White noise






Blue noise





source: http://scien.stanford.edu/pages/labsite/2008/psych221/projects/08/AdamWang/project_report.htm

White noise





- white noise in spatial domain equals white noise in frequency domain
- white noise is perfectly uncorrelated
- all other types of noise are correlated to some degree
- white noise is an idealization



Signal power vs. noise power





Signal power vs. noise power



Signal power vs. noise power







Signal power vs. noise power




- Noise power exceeds signal power for high frequencies
- Small scale image details are lost in noise first

Signal power vs. noise power



Noise reduction by averaging

- Average multiple images



- requirement: additive noise, zero mean


Denoising by linear filtering

- use spatial convolution or frequency filtering to reduce noise
- noise reduction possible, but at cost of sharpness
- trade-off between noise reduction and resolution
- need fancier methods


original



convolution kernel



frequency filter



Resulting image



Median filtering

- Use median as estimator for fat tail distributions
- less sensitive to outliers in pixel ensemble, better edge preservation

Salt and pepper noise



Gauss sigma=1 pixel



Median 1 pixel



Median filtering

1x Gauss



2x Gauss



5x Gauss



1x Median



2x Median



5x Median



Common abbreviations

Abbreviation	Name	Definition
IRF	Impulse response function	Linear operator map of delta function
PSF	Point spread function	Image of point object (optical IRF)
OTF	Optical transfer function	Fourier transform of PSF
PTF	Phase transfer function	Phase part of OTF
MTF	Modulation transfer function	Amplitude of OTF
CTF	Contrast transfer function	MTF for non-sinusoidal objects
PDF	Probability density function	Probability distribution for a given random variable
SPS	Signal power spectrum	Amplitude squared of signal F.T.
NPS	Noise power spectrum	Amplitude squared of noise F.T.
SNR	Signal to noise ratio	Mean signal / mean noise
CNR	Contrast to noise ratio	Mean contrast / mean noise