


**Physics Education
Laboratory
Lecture 13
Content Knowledge for
Thermodynamics**

Francesco Longo - 06/11/25



Investigative Science Learning Environment (ISLE approach)

Investigative Science Learning Environment - ISLE cycle





APPLICATION EXPERIMENT

Observational experiment - part 2

2. Watch the video of a cup of cold water in an aluminum container being placed in a container with warm water

https://mediaplayer.pearsoncmg.com/assets/_frames.true/sci-phys-egv2e-alg-15-2-2

The video is taken with a thermal camera and allows you to see the change of temperature of the water.

- A. Describe what you observe (choose the initial state to be when the cup is outside the container and the final state when cup is inside and the temperature reaches some intermediate value).
- B. Consider the water in the cup as the system and explain this observed process using your knowledge of molecules and their motion. Then use the generalized work–energy principle to explain what happened to the cold water. If you cannot explain this process with this principle, try to modify the principle (for example, introduce a new physical quantity) to account for your observations.
- C. Repeat part b., only this time consider the water in the container as the system.
- D. Use your knowledge of molecules and their motion to explain the reasoning behind when two liquids of different temperatures mix together, the mixture will eventually reach some intermediate temperature (called the equilibrium temperature).

Observational experiment - part 3

3. Watch the video of a cup of glycerin being stirred by a mixer used to whip cream

[\[https://mediaplayer.pearsoncmg.com/assets/_frames.true/sci-phys-egv2e-alg-15-3-1\]](https://mediaplayer.pearsoncmg.com/assets/_frames.true/sci-phys-egv2e-alg-15-3-1).

The video is taken with a thermal camera and allows you to follow the temperature of the glycerin at the spot marked by cross hairs.

- a. Describe what you observe.
- b. Draw a bar chart to represent the process. Indicate any assumptions that you made.

Example of ISLE at work ..

https://docs.google.com/document/d/1F7XA_jZz8bIhB4RxS6cWgDJn4DbUQkn0/edit



Demonstrative experiment

A demonstrative experiment is an experiment that students watch when they are involved in the study of a phenomenon already explained. Thus, they do not make any measurements, nor they do not make predictions, nor make comparative analysis between measurements and prediction. Students do not construct by their own any qualitative or quantitative relationship.

Observational experiment

An observational experiment is an experiment that students perform when they are investigating a new phenomenon. Thus, they do not make predictions or have expectations about its outcome. Students need to collect data, analyze them and find a pattern in the data. They then need to explain the reasons for the pattern (if applicable), and/or construct a qualitative or quantitative relationship.

Esperimenti di osservazione: cosa sono?

Esperimenti nei quali gli studenti investigano un fenomeno nuovo.

Gli studenti non effettuano previsioni circa i risultati dell'esperimento, ma osservano e descrivono: raccolgono dati, li analizzano e trovano delle relazioni ricorrenti ("*patterns*") in essi.

Essi sono portati a elaborare una spiegazione per le relazioni trovate e/o a costruire una relazione qualitativa o quantitativa.

Esperimenti di osservazione: perché usarli?

Gli studenti:

- riceveranno esperienze *concrete* come parte del ciclo di apprendimento
- imparano ad interpretare i dati senza sapere se sono giusti o sbagliati (*open-mind*)
- imparano a effettuare *scelte* su come rappresentare i dati e su quali relazioni cercare
- procedono in situazioni dove non c'è una risposta giusta o sbagliata, imparando modi produttivi per investigare fenomeni complessi (*cognizione epistemica*)
- imparano a trattare la complessità di *dati reali*

Esperimenti di osservazione: come e dove usarli?

- a lezione: per sviluppare idee su un argomento nuovo. L'esperimento può essere svolto dal docente e gli studenti dovranno raccogliere ed elaborare i dati, decidere quali variabili sono importanti e trovare *patterns*. I dati o la loro analisi possono essere già forniti da terzi: in questo caso gli studenti dovranno solo trovare un pattern e fornire una spiegazione a riguardo;
- in laboratorio: dove gli studenti raccolgono ed elaborano i dati, trovano pattern e costruiscono spiegazioni o relazioni matematiche per descriverli;
- come compito per casa: si forniscono i dati agli studenti che dovranno analizzare e trovare patterns da soli.

Observational Experiment Table 2.1

Using dots to represent motion

Observational experiment	Analysis
Experiment 1. You push a bowling ball (the object of interest) and let it roll on a smooth linoleum floor. Each second, you place a beanbag beside the bowling ball. The beanbags are evenly spaced.	The dots in this diagram represent the positions of the beanbags you placed each second as the bowling ball slowly rolled on the floor. 
Experiment 2. You repeat Experiment 1, but you push the ball harder before you let it roll. The beanbags are farther apart but are still evenly spaced.	The dots in this diagram represent the positions of the beanbags, which are still evenly spaced but separated by a greater distance than the bags in Experiment 1. 
Experiment 3. You push the bowling ball and let it roll on a carpeted floor instead of a linoleum floor. The distance between the beanbags decreases as the ball rolls.	The dots in this diagram represent the decreasing distance between the beanbags as the ball rolls on the carpet. 
Experiment 4. You roll the ball on the linoleum floor and gently and continually push on it with a board. The distance between the beanbags increases as the pushed ball rolls.	The dots in this diagram represent the increasing distance between the beanbags as the ball is continually pushed across the linoleum floor. 
Pattern	
<ul style="list-style-type: none">• The spacing of the dots allows us to visualize the motion of the object of interest.• When the object travels without speeding up or slowing down, the dots are evenly spaced.• When the object slows down, the dots get closer together.• When the object moves faster and faster, the dots get farther apart.	

a. What patterns did you notice in the placement of the dots?

b. How can you use the distances between the dots to describe the motion of the bowling ball?



Testing experiment

In a testing experiment, students use an explanation or relationship to make a prediction of the outcome of the experiment. They also decide what additional assumptions they are making. Then they perform the experiment, and record the outcome. Based on the (dis)agreement of the prediction and the experimental outcome, and taking into account theoretical assumptions and experimental uncertainties, students have to make a judgment about the explanation or relationship that they are testing.

Students learn that when their prediction agrees with the experimental outcome, it only means that the explanation/relationship cannot be rejected. On the other hand, if their prediction does not agree with the experimental outcome, they have to either reject the explanation/relationship they tested, or reconsider the additional assumptions they made. Thus, the emphasis is on trying to disprove an idea

Esperimenti di test: cosa sono?

Esperimenti nei quali gli studenti usano una spiegazione o una relazione per effettuare previsioni circa il risultato di un esperimento.

Gli studenti eseguono l'esperimento e registrano il risultato. Basandosi sull'accordo (o meno) della previsione con i risultati sperimentali, e tenendo conto delle assunzioni teoriche, dei modelli usati e delle incertezze sperimentali, essi devono effettuare giudizi circa la spiegazione o le relazioni che stanno testando.

Essi dunque imparano che se la loro previsione è d'accordo con l'esperimento, la spiegazione o la relazione pensata non può essere rifiutata, mentre se non c'è accordo essi devono rigettare la spiegazione o riconsiderare le loro assunzioni.

Esperimenti di test: perché usarli?

Gli studenti:




- imparano il ragionamento *ipotetico-deduttivo* (logica del “se”, “e”, “ma” “allora”...)
- imparano a basare la loro conoscenza sull’evidenza e non sull’autorità
- imparano la differenza tra assunzione, previsione, spiegazione
- imparano che la discordanza tra previsioni e esperimento può essere dovuto a svariati fattori: assunzioni incomplete, spiegazioni errate, o tecniche sperimentali inadeguate
- imparano a scegliere quando rigettare una spiegazione per un fenomeno

Esperimenti di test: come e dove usarli?

- a lezione: il docente descrive l'apparato sperimentale e gli studenti effettuano previsioni dell'esperimento a seguito di una spiegazione precedentemente elaborata. Il docente (o un terzo) esegue l'esperimento e gli studenti decidono l'accordo o meno delle previsioni con i risultati dell'esperimento
- in laboratorio: gli studenti eseguono in prima persona l'esperimento dopo aver effettuato delle previsioni, e giudicano in seguito l'accordo o meno con i risultati dell'esperimento. L'esperimento può anche essere ideato dagli studenti in prima persona, a seconda del materiale a disposizione.

Observational Experiment Table 5.1

Forces exerted on an object moving in a circle at constant speed

Observational experiment	Analysis
<p>Experiment 1. A bowling ball is rolled toward you over a smooth floor. You are asked to tap it with a mallet to make the ball roll in a circle with constant speed. You find that directing the mallet taps along the desired circular path doesn't work; the ball rolls wide. The only thing that works is to tap <i>directly toward the center of the desired circle</i>.</p> 	<p>There are three objects interacting with the bowling ball: Earth, the floor, and the mallet. We assume that the force exerted by the floor is perpendicular to the floor's surface. The force diagrams for the ball at two locations are shown below. We see that at each location the sum of the forces points toward the center of the circle.</p> 
<p>Experiment 2. You hold a bag by the handle and swing it in a horizontal circle at constant speed. You observe that your arms pulling the bag are angled down with respect to the horizontal.</p> 	<p>Two forces are exerted on the bag as it moves around the circle: Earth pulls downward, and you pull at an angle with the vertical. The vertical component of the force that you exert on the bag must balance the force that Earth exerts on it because the bag does not accelerate in the vertical direction. Consequently, the sum of these two forces again points toward the center of the circle.</p> 
<p>Pattern</p> <p>In each case, as shown in the force diagrams, the sum of the forces exerted on the circling object points directly toward the center of the circle.</p>	

Watch *Circular motion*






FIND A PATTERN

Experiment; the circling object is in bold.	List objects that interact with the circling object.	Draw a top view force diagram for the circling object.	List forces or force components that add to zero.	Indicate the direction of the sum of the forces exerted on the object.
a. Tapping a bowling ball . So it moves in a circle on the floor				
b. Swinging a bucket in a horizontal circle.				
c. Pulling a rope attached to a moving rollerblader so she moves in a circle.				



Testing Experiment Table 5.2

Does the sum of the forces exerted on an object moving at constant speed in a circle point toward the center of the circle?


Testing experiment	Prediction	Outcome
<p>Experiment 1. You roll a marble against the inside wall of a metal ring sitting on a smooth surface.</p> 	<p>The force diagram for the marble is shown below.</p>  <p>The vertical force components add to zero. The sum of the forces points along the radial axis toward the center of the circle. Thus we predict that the marble will roll along the wall of the ring following the circle.</p>	<p>As you can see in the video, this is exactly what happens. The marble rolls inside the ring following the circle.</p> 
<p>Experiment 2. You roll a marble at constant speed toward a semicircular metal ring sitting on a smooth surface.</p> 	<p>When the marble rolls toward the ring, the sum of the forces exerted on it is zero, so we predict that it will move in a straight line with constant velocity. When it reaches the ring, the sum of the forces will point toward the center of the ring, so we predict it will follow the ring as in Experiment 1. Once the marble reaches the end of the ring, it should continue in a straight line as before.</p> 	<p>The video of the experiment shows that our prediction matches the outcome.</p> 
<p>Conclusion</p> <p>The outcomes of both experiments are consistent with the pattern of the sum of the forces exerted on an object moving at constant speed in a circle pointing toward the center.</p>		

For the following testing experiment, use the pattern that you formulated in Activity 5.1.2 and Newton's laws to predict the outcome of the experiment. Do not watch the video until you finish part **b** of this activity.

a. Inside a metal ring, a person rolls a small ball or a marble on a smooth horizontal surface. The marble rolls along the ring. Is the motion of the ball consistent with the pattern formulated in Activity 5.1.2? Explain.

b. Use the pattern you found in Activity 5.1.2 (not your intuition) to predict what will happen to the ball if, after the ball rolls for a couple of turns, the person removes a quarter of the ring as shown in the figure. Justify your prediction in words and with a force diagram before you watch the video of the experiment.

c. After you make your prediction, watch the video, and compare the outcome to your prediction. What judgment can you make about the idea that you're testing? Does the outcome support, prove, or disprove the idea you're testing?



Application experiment

An application experiment typically involves solving a practical problem or determining an unknown quantity by performing experiments.

Students need to solve these experimental problems using at least two different methods and then compare the results. Often they need to perform additional experiments or make informed estimates to determine some physical quantities.

Esperimenti di applicazione: cosa sono?

Esperimenti che includono il risolvere un problema pratico o determinare una quantità sconosciuta mediante un esperimento.

Agli studenti può venire chiesto di usare più metodi sperimentali per determinare una stessa quantità e confrontare i risultati.


Esperimenti di applicazione: perché usarli?

Gli studenti:

- imparano ad affrontare problemi realistici
- imparano ad affrontare un problema da più punti di vista, usando più idee e confrontandole
- imparano a scegliere quali assunzioni effettuare per risolvere un problema e cosa tralasciare
- imparano ad applicare la fisica nella vita di tutti i giorni usando strumentazioni semplici
- imparano a confrontare risultati di diversi esperimenti

Esperimenti di applicazione: come e dove usarli?

- in laboratorio: agli studenti è richiesto di calcolare una quantità fisica effettuando un esperimento con degli strumenti a loro disposizione
- come problema-video: gli studenti possono raccogliere dati guardando un video di un esperimento e risolvere il problema richiesto (si può fare anche in classe o come compito per casa)



OALG 7.7.3 Application experiment: Measuring the coefficient of kinetic friction

The goal is to use your knowledge of energy and momentum to determine the coefficient of kinetic friction between a tissue box and the table in the following video.

[\[https://mediaplayer.pearsoncmg.com/assets/_frames.true/sci-phys-egv2e-alg-7-7-3\]](https://mediaplayer.pearsoncmg.com/assets/_frames.true/sci-phys-egv2e-alg-7-7-3).

The flour-filled balloon has a mass of 54.7g, the tissue-box has a mass of 161.1g.


Observing the experiments

Observe two experiments that can be used to determine the coefficient of kinetic friction. For each experiment:

Constructing the mathematical model

Start with the experiment with the flour balloon hitting the box and the box sliding to a stop. Think of how you can analyze the process conceptually (using energy and momentum bar charts) to find the coefficients of kinetic friction and then how you can convert these bar charts into mathematical representations. The following steps might help you:

- Divide the process into three smaller processes that each involves one central physics idea. Represent each smaller process with a relevant bar chart (think of whether energy bar chart or momentum bar chart will be easier to analyze mathematically). Carefully choose your system for every sub-process.
- Once you have the bar charts, convert them into mathematical representations (models). Check if what you wrote will help you determine the coefficient of kinetic friction.
- Identify the physical quantities you will need to measure in order to determine the coefficient of kinetic friction.
- Repeat the process for the second experiment (pulling the box with the scale). Here you might want to use the force diagram to construct the mathematical model.
- What assumptions did you make in your mathematical models? Specifically, what is the effect making each of them will have on the result produced by your mathematical model (will it make the calculated value smaller, larger, or randomly different than the real-world value)? Explain your reasoning.



Collecting data

- Measure the physical quantities you identified in parts **c** and **d** in the previous step.
- Record the data. What is the uncertainty in each measurement?
- Use the mathematical procedure you devised to determine the coefficient of kinetic friction in both experiments. Estimate the uncertainty in your results.
- Decide if the results of the two experiments are consistent or not. What is your judgment about the model you used to represent the situation shown in the video?

If you need to improve the mathematical model

- Think about assumptions you made in your mathematical models. Which of your assumptions is least likely to be valid? Describe how you will revise part of your mathematical procedure to deal with this. What additional measurements will you need to make?
- Construct force diagrams, and energy and/or momentum bar charts for your revised mathematical method.
- Come up with a new equation for the coefficient of kinetic friction that incorporates your revisions. Again, do not plug in numbers.
- Make any additional measurements you need, and then use your new equation to determine a revised value of the coefficient of kinetic friction.
- Now are the results of the two independent methods consistent? Now what is your judgment about the mathematical model?
- Are any of the other assumptions in your revised mathematical model questionable? How could you revise your mathematical procedure further to deal with these?

Video problems as Application experiment


A video problem is a subset of the category “application experiment”. From each video one can determine a physical quantity such as the coefficient of friction between two surfaces, the height of a table, etc. . . . by two independent methods. The results determined from each method should agree with each other.

https://drive.google.com/file/d/1Y0WDDJujMnD_BY5gw60eDNtxqjeiPXjN/view?usp=sharing

Example 1:
First law of thermodynamics



Example of Observation Experiment



In the experiment, two identical metal objects (made of brass) are taken from the same hot water bath and placed on two identically-shaped (same height, length, and width) plates. The plates are made of wood and aluminum (colored with the same black paint to reduce the reflective properties of aluminum) and have been sitting on the table for a long time.

- Describe what you observe.
- Devise one or more explanations for your observation.

<https://mediaplayer.pearsoncmg.com/assets/frames.true/sci-phys-egv2e-alg-15-7-2>


Example of Testing Experiment




- Use the explanations you made in Observational Experiment to predict what you will observe.
- View the video [\[https://mediaplayer.pearsoncmg.com/assets/_frames.true/sci-phys-egv2e-alg-15-7-3\]](https://mediaplayer.pearsoncmg.com/assets/_frames.true/sci-phys-egv2e-alg-15-7-3) and compare the outcome to your predictions. Do you need to revise your explanation?

Example of Application Experiment

https://mediaplayer.pearsoncmg.com/assets/_frames.true/sci-phys-egv2e-alg-15-5-7



<https://youtu.be/hLcYCzMgSzc>



Example of Video- Application Experiment

[https://mediaplayer.pearsoncmg.com/assets/_frames.true/sci-phys-egv2e-alg-15-5-7].

The video is taken with a thermal camera and allows you to follow the temperature of the glycerin at the location of the cross hairs.

- a.** Use the data provided in the video to estimate how much energy provided by the mixer went into warming up the glycerin.
- b.** Could this experiment be used to test the equivalence of work and heating as a means for energy transfer? Justify your answer.

Rubrics for assessment

The Rutgers Physics and Astronomy Education (PAER) group has developed rubrics for assessment of scientific abilities. The rubrics contain descriptors for individual scientific sub-abilities. One can use the descriptors to assign either a numerical score or a descriptive score for a portion of student writing related to a certain sub-ability. The relationship between the scores is shown in the table below. We prefer to give students rubric description with a descriptive score as numerical scores were found to have a negative effect on student learning. A score of 0 describes a write-up in which the sub-ability is 'Missing', 1 stands for a write-up where the sub-ability is 'Not adequate', 2 describes a write-up with the sub-ability that 'Needs some improvement' and 3 describes a write-up in which is 'Adequate'.

Scientific abilities for formative assessment

The term “scientific abilities” describes some of the most important procedures, processes, and methods that scientists use when constructing knowledge and when solving experimental problems. These are not AUTOMATIC SKILLS, but are instead PROCESSES that students need to use REFLECTIVELY and CRITICALLY.

- 1. an ability to represent knowledge in multiple ways;**
- 2. an ability to design experiments to investigate new phenomena, test hypotheses and solve experimental problems;**
- 3. an ability to collect and analyze experimental data;**
- 4. an ability to devise and test relationships and explanations;**
- 5. an ability to evaluate reasoning and experimental design;**
- 6. an ability to communicate.**

Rubrics for assessment - example from ISLE approach (Etkina, 2006)

An assessment rubric is one of the ways to help students see the learning and performance goals, self-assess their work, and modify it to achieve the goals three guiding principles as defined by Sadler:

- 1) Where are you trying to go? (Identify and communicate the learning and performance goals.)
- 2) Where are you now? (Assess, or help the student to self-assess, current levels of understanding.)
- 3) How can you get there? (Help the student with strategies and skills to reach the goal.)

The rubrics contain descriptions of different levels of performance, including the target level. A student or a group of students can use the rubric to help self-assess her or their own work. An instructor can use the rubric to evaluate students' responses and to provide feedback.

- ❖ Ability to represent information in multiple ways
- ❖ Ability to design and conduct an observational experiment
- ❖ Ability to design & conduct an experiment to test an idea/hypothesis/explanation or mathematical relation
- ❖ Ability to design & conduct an application experiment
- ❖ Ability to communicate scientific ideas
- ❖ Ability to collect and analyze experimental data
- ❖ Ability to evaluate models, equations, solutions, and claims

Formative assessment

Formative assessment refers to tools that identify misconceptions, struggles, and learning gaps along the way and assess how to close those gaps. It includes effective tools for helping to shape learning, and can even bolster students' abilities to take ownership of their learning when they understand that the goal is to improve learning, not apply final marks... formative assessment occurs throughout a class or course, and seeks to improve student achievement of learning objectives through approaches that can support specific student needs (Trumbull and Lash, 2013)

Summative assessment


Summative assessments evaluate student learning, knowledge, proficiency, or success at the conclusion of an instructional period, like a unit, course, or program. Summative assessments are almost always formally graded and often heavily weighted (though they do not need to be). Summative assessment can be used to great effect in conjunction and alignment with formative assessment, and instructors can consider a variety of ways to combine these approaches.

Examples of Formative and Summative Assessments


Formative	Summative
In-class discussions	Instructor-created exams
Clicker questions	Standardized tests
Low-stakes group work	Final projects
Weekly quizzes	Final essays
1-minute reflection writing assignments	Final presentations
Homework assignments	Final reports
Surveys	Final Grades

Investigative Science Learning Cycle!

Etkina and Van Heuvelen (2001; 2007)



PROBLEM SOLVING MODEL



This model identifies a basic sequence of three cognitive activities in problem solving:

- *Representing the problem* includes calling up the appropriate context knowledge, and identifying the goal and the relevant starting conditions for the problem.
- *Solution search* includes refining the goal and developing a plan of action to reach the goal.
- *Implementing the Solution* includes executing the plan of action and evaluating the results.

Types of quantitative reasoning activities.

Type of activity	Short description
<i>Contextually interesting problems</i>	Relatively standard problems which have interesting contexts
<i>Multiple representation problems</i>	Students represent a word problem in different ways (such as, a sketch, graph, diagram, and equation)
<i>Equation Jeopardy problems</i>	Students are given an equation and are asked to construct other representations of a physical process that are consistent with the equation.
<i>Problem-posing problems</i>	A physical situation is described in one way and students are to invent a problem involving the situation.
<i>Evaluation problems</i>	Students are provided a solution for a problem and are asked to evaluate it for errors or in other ways.
<i>Design and analyze problems</i>	More complex problems where students need to design an experiment to achieve some goal and to development an appropriate mathematical solution to answer the question. The problems often involve concepts from different conceptual areas (for example, energy and circular motion).

Problem solving strategy.

General steps of the problem solving strategy	Modifications of the steps for the circular motion chapter
<i>Picture and translate</i>	Sketch the situation described in the problem statement. Choose a system when the object is at one particular position along its circular path. Draw an axis in the radial direction toward the center of the circle.
<i>Simplify</i>	Decide if you can consider the system as a particle Determine if you can ignore any interactions of objects outside the system with the system object. Determine if the constant speed approach is appropriate.
<i>Represent physically</i>	Indicate with an arrow the direction of the acceleration when passing the previously determined position Draw a free-body diagram for the object at the instant it passes that position.
<i>Represent mathematically</i>	Convert the free-body diagram into the radial component form of Newton's second law. For objects moving in the horizontal plane, you may also need to apply the vertical component form of Newton's second law to solve the problem
<i>Solve and evaluate</i>	Solve the equations formulated in the previous two steps and evaluate the results to see if they are reasonable (the magnitude of the answer, its units, how the solution changes in limiting cases, and so forth.

Problems in the ISLE approach

Gli esercizi

le capacità da sviluppare (*scientific abilities*)

Rappresentazione multipla

Lo studente sa estrarre informazioni da una rappresentazione, tradurre dati tra rappresentazioni diverse, costruire rappresentazioni.

Escogitare e testare un'ipotesi

Lo studente è capace di fare predizioni basate su un'ipotesi; identificare le assunzioni che sono state fatte e determinare in che modo esse modificano le previsioni; valutare la veridicità di un'ipotesi basandosi su dati.

Tenere conto di dati anomali

Lo studente è capace di adattare le ipotesi fatte per conciliarle con i dati sperimentali.

Comunicare

Lo studente sa descrivere i dettagli di un esperimento in maniera completa e precisa.

Problems in the ISLE approach

Gli esercizi le capacità da sviluppare

Inventare un esperimento

Lo studente, dopo aver identificato il fenomeno o la relazione da investigare, è capace di inventare e descrivere un esperimento efficiente che verifichi le ipotesi e le previsioni fatte. Sa inoltre come interpretare i risultati dell'esperimento ed è capace di proporre miglioramenti all'apparato sperimentale nel caso ottenga dati anomali.

Segnare, rappresentare e analizzare dati

Lo studente sa identificare le sorgenti d'errore, di incertezza sperimentale e come minimizzarle. È inoltre capace di rappresentare i dati in maniera efficiente e analizzarli.

Valutare predizioni e risultati sperimentali, ipotesi teoriche, soluzioni di problemi e modelli

Lo studente sa provare l'autoconsistenza di un'equazione, riconosce le assunzioni che stanno alla base del modello utilizzato e sa dire quanto esse limitino la generalità del modello.

Problems in the ISLE approach

Gli esercizi le tipologie

Lavoro di classificazione (<i>ranking tasks</i>)	Gli studenti devono mettere in ordine (crescente o decrescente) i valori di una stessa quantità fisica in situazioni diverse.
Scegli una risposta e la sua spiegazione (<i>choose answer and explanation</i>)	Gli studenti devono scegliere la risposta corretta e accoppiarla alla rispettiva spiegazione (con relazione di causa-effetto o meccanicistica).
Scegli un metodo di misura (<i>choose measuring procedure</i>)	Gli studenti devono scegliere (o proporre) la corretta (o migliore) procedura sperimentale per misurare/determinare una grandezza.

Problems in the ISLE approach

Gli esercizi le tipologie

Valuta (<i>evaluate</i>)	Gli studenti devono valutare in maniera critica il ragionamento fatto da terzi o verificare la correttezza di una soluzione proposta per un certo problema.
Giudica (<i>make judgment based on data</i>)	Gli studenti devono giudicare una o più ipotesi basandosi su dati o altri risultati forniti nel problema, a volte tenendo conto delle incertezze statistiche e/o sperimentali.
Linearizzazione (<i>linearization</i>)	Come prima cosa gli studenti devono scrivere l'equazione che descrive la situazione in esame, devono poi sistamarla per ottenere una relazione lineare; infine disegnare il grafico e determinare la grandezza non nota.

Problems in the ISLE approach

Gli esercizi le tipologie

Scegli e descrivi <i>(multiple possibility and tell all)</i>	Gli studenti devono elencare più grandezze possibile basandosi sui dati di un problema oppure descrivere il numero maggiore possibile di caratteristiche del sistema in esame. Viene poi richiesto di determinare il valore di alcune delle grandezze elencate sopra.
Jeopardy	Gli studenti devono convertire la rappresentazione di un problema nel testo del problema stesso.

Problems in the ISLE approach

Gli esercizi **le tipologie**

<p>Inventa un esperimento o poni un problema <i>(design an experiment or pose a problem)</i></p>	<p>Gli studenti devono programmare un esperimento, una procedura sperimentale o un macchinario che permetta loro di misurare/determinare alcune grandezze fisiche. Spesso viene richiesto anche che l'esperimento in questione usi una particolare legge/principio fisica.</p>
<p>Problema basato su dati reali <i>(problem based on real data)</i></p>	<p>Gli studenti devono risolvere problemi basati su dati reali, ottenuti in situazioni reali, spesso usando strumentazione semplice o a loro disposizione. Devono quindi occuparsi di incertezze statistiche e dati anomali e descrivere le assunzioni e il modello scelto.</p>

Problems in the ISLE approach

1 - Ranking

- ♣ Domanda di riorganizzare in ordine crescente o decrescente i valori di una determinata quantità fisica. Può essere modificato chiedendo di stimare i singoli valori (almeno entro dei «range»), così da incentivare un *pensiero critico* nei confronti della realtà
- ♣ Approfondisce e rinforza la conoscenza delle *unità di misura* e promuove un approccio dimensionale nei confronti dei numeri
- ♣ Dà la *possibilità* ai ragazzi di *sentirsi soddisfatti*, perché in grado di arrivare ad una soluzione senza bloccarsi sulle tecniche risolutive, ma basandosi principalmente sulla loro esperienza e sulle loro riflessioni

Problems in the ISLE approach

2 - Choose and explain

- ♣ Propone diverse possibili risposte ad una o più domande per le quali bisogna anche individuare la spiegazione più opportuna (come risposta aperta, o scegliendo tra alcune opzioni), che può riguardare la natura causale del fenomeno, oppure implicare alcune osservazioni specifiche, che sottolineano le caratteristiche fisiche delle quantità trattate (ad esempio, si può ragionare sulla natura vettoriale o scalare di alcune grandezze).
- ♣ Incoraggia a riflettere sul «perché» della conoscenza e a sostenere dei pensieri in modo argomentativo e scientifico, potenziando le abilità comunicative
- ♣ Spesso, sia nel testo che nella risoluzione, si fa uso della rappresentazione multipla, per interconnettere le capacità di comprensione testuale e verbale con quelle esplicative.

Parole chiave: *scegli, determina, spiega, argomenta*

Problems in the ISLE approach

3 - Choose measuring procedure

- ♣ Richiede di suggerire e spiegare quale procedimento di misura si può applicare per determinare una o più quantità fisiche, a partire da una situazione reale e non chiaramente riconducibile alle formule della teoria
- ♣ Approfondisce la correlazione tra le formule teoriche ed i fenomeni che esse rappresentano, partendo da questi ultimi. La risposta può essere scritta per intero, oppure selezionata tra diverse opzioni preparate dal docente
- ♣ Sviluppa una «forma mentis» da Fisico che cerca delle spiegazioni per mezzo di esperimenti scientifici

Parole chiave: *proponi, progetta, descrivi, suggerisci, scegli*

Problems in the ISLE approach

4 - Evaluate

- ♣ Chiede di valutare e commentare il ragionamento di uno o più interlocutori immaginari, esprimendosi a favore o contro la loro ipotesi e argomentando le motivazioni
- ♣ Esorta a distinguere le idee produttive da quelle che invece non conducono ad una comprensione più approfondita, o ad una soluzione adeguata
- ♣ Rafforza le abilità argomentative e di pensiero critico, oltre a quelle espositive; è caldeggiato l'uso della rappresentazione multipla, al fine di ampliare il ventaglio di strumenti a disposizione degli studenti per avvalorare le loro tesi.

Parole chiave: *valuta, commenta, esprimi, argomenta, avvalora, discuti, confronta*

Problems in the ISLE approach

5 - Make judgement

- ♣ Presenta una o più ipotesi che si basano su tabelle di dati o grafici e richiede di esprimere un parere e di argomentarlo, soprattutto osservando e analizzando i dati. A differenza della tipologia *Evaluate*, questa è caratterizzata da una maggiore quantificazione
- ♣ Permette di capire che una tesi scientifica è più attendibile se supportata da risultati sperimentali. Anche in questo caso, l'attenzione è rivolta all'esposizione verbale, solitamente domandando un'argomentazione aperta
- ♣ A volte, i dati inclusi nell'esercizio possono contenere gli errori con cui sono stati raccolti e quindi ci può essere una richiesta aggiuntiva di considerare le incertezze con le quali si conoscono i valori

Parole chiave: decidi, rifiuta, giustifica, esprimi, valuta, argomenta, avvalora, analizza

Problems in the ISLE approach

6 - Linearization

- ♣ Sollecita a descrivere inizialmente la situazione illustrata nell'esercizio per mezzo della formula o legge più adatta. In seguito, domanda di rielaborare l'equazione per ricavare una funzione lineare, che può facilmente essere rappresentata in uno o più grafici
- ♣ Dopo aver disegnato il grafico, si usa la retta di «fit» per estrapolare alcune informazioni incognite richieste dal problema. Le grandezze da determinare possono essere sia quelle dipendenti che quelle indipendenti della relazione lineare
- ♣ Evidenzia il legame tra la rappresentazione con grafici, l'algebra delle formule e le quantità fisiche, riconoscendo dei «pattern» di linearità in situazioni che non sono quelle classiche
- ♣ Si può rivelare molto soddisfacente, dal momento che si tratta di una specie di gioco «puzzle-style» nel quale è possibile verificare, tramite il grafico (o la formula), di aver trovato il risultato corretto.

Problems in the ISLE approach

7 – Multiple possibility

- ♣ Esorta ad elencare il maggior numero possibile di quantità che si possono ricavare a partire da alcuni dati, oppure a dire tutto quello che si sa riguardo ad un argomento, o alle proprietà di una grandezza fisica o di un fenomeno
- ♣ Solitamente, nel testo del problema, si indica un numero minimo di risposte che bisogna fornire e se si supera tale valore il punteggio aumenta: i discenti si sentono capaci e appagati
- ♣ È fortemente consigliata, specialmente «in itinere», affinché i ragazzi ricevano parecchi «feedback» positivi in fase di apprendimento e siano stimolati a proseguire lo studio, sentendosi in grado di comprendere i nuovi argomenti

Parole chiave: elenca, di' tutto quello che sai, deduci, esprimi, spiega, aggiungi

Problems in the ISLE approach

8 - Jeopardy

- ♣ Sorprende, nella maggior parte dei casi, siccome invita a procedere nella direzione contraria a quella comunemente presentata dagli esercizi: invece di descrivere verbalmente una situazione e richiedere di ottenere qualche risultato relativo ad essa, per mezzo di una formula, domanda di partire da una relazione numerica, da un grafico, da un diagramma del moto o delle forze, da istogrammi di energia o disegni e inventare un testo che possa essere rappresentato da essi
- ♣ Viene data grande libertà in questo genere di esercizi, facendo in modo che gli studenti non percepiscano un'imposizione rigida da parte del problema (e quindi dell'insegnante)
- ♣ Approfondisce il significato fisico delle leggi matematiche e delle raffigurazioni astratte, evidenziando il substrato legato alla realtà. Si può inoltre migliorare la comprensione delle unità di misura e il loro valore

Problems in the ISLE approach

9 – Design an experiment

- ♣ Invita a progettare un esperimento, quindi a proporre un procedimento di misura, stabilendo quali strumenti adoperare, come predisporre l'intero «setup» e come determinare una o più grandezze fisiche richieste dal testo del problema. A volte, può essere che il docente, già nell'esercizio, consigli alcuni strumenti di misura da includere nell'esperimento. Si può anche suggerire la legge o la formula (o più di una) che sarebbe opportuno usare per ricavare il risultato finale
- ♣ L'aiuto che un insegnante può fornire è inversamente proporzionale al grado di familiarità che gli studenti hanno nei confronti dell'approccio ISLE
- ♣ Quando gli alunni prendono dimestichezza con questo genere di esercizi, si può chiedere loro di includere nella progettazione alcune considerazioni concernenti la trattazione degli errori

Parole chiave: progetta, inventa, scopri, includi, specifica, individua, proponi, considera

Problems in the ISLE approach

10 – Problem based on real data

- ♣ Richiede di risolvere problemi basati su dati reali (oltre che realistici) e ottenuti in situazioni di vita quotidiana. A differenza di altre tipologie, in questo caso *gli errori e le incertezze con cui vengono presentati i dati svolgono un ruolo fondamentale e vanno trattati dagli alunni, al fine di valutare la precisione con la quale conoscono il risultato finale*
- ♣ È caldeggiato l'uso della rappresentazione multipla, in modo da evidenziarne la validità in un contesto piuttosto vicino alla percezione e all'esperienza dei ragazzi
- ♣ *Acuisce la visione della realtà come soggetta ad errori, maturando l'abilità di interconnettere Matematica e Fisica, per comprendere più a fondo i fenomeni naturali in esame*