

Log

Recap L08

Microbial interactions:

**Environment and
Ecosystem Services**

Limits of microbial Life

Parameter	Limit	Note
Lower temperature	$\sim -15\text{ }^{\circ}\text{C}$	Limited by liquid water associated with thin films or saline solutions
Upper temperature	$122\text{ }^{\circ}\text{C}$	Solubility of lipids in water, protein stability
Maximum pressure & Minimum	$1,100\text{ atm}$	Ref. 10
Low light	$\sim 0.01\text{ }\mu\text{mol m}^{-2}\cdot\text{s}^{-1} = 5 \times 10^{-6}$	Algae under ice and deep sea
No light	direct sunlight	
pH	$0-12.5$	
Salinity	Saturated NaCl	Depends on the salt and temperature
Water activity	0.6	Yeasts and molds
	0.8	Bacteria
UV	$\geq 1,000\text{ J m}^{-2}$	<i>D. radiodurans</i>
Radiation	50 Gy/h	<i>D. radiodurans</i> growth with continuous dose
	$12,000\text{ Gy}$	Acute dose, higher for dry or frozen state

Natural control of microbial growth

TABLE 20.1 Resources and conditions that govern microbial growth in nature

<i>Resources</i>
Carbon (organic, CO ₂)
Nitrogen (organic, inorganic)
Other macronutrients (S, P, K, Mg)
Micronutrients (Fe, Mn, Co, Cu, Zn, Mn, Ni)
O ₂ and other electron acceptors (NO ₃ ⁻ , SO ₄ ²⁻ , Fe ³⁺)
Inorganic electron donors (H ₂ , H ₂ S, Fe ²⁺ , NH ₄ ⁺ , NO ₂ ⁻)
<i>Conditions</i>
Temperature: cold → warm → hot
Water potential: dry → moist → wet
pH: 0 → 7 → 14
O ₂ : oxic → microoxic → anoxic
Light: bright light → dim light → dark
Osmotic conditions: freshwater → marine → hypersaline

Key concepts for Microbial Life


- **Metabolic diversity:** cellular processes that support growth
 - ★ **Energy is conserved, reducing power is obtain during catabolic reactions and cells growth by decoupling this power to anabolic-biosynthetic reactions (modularity)**
 - ★ **Electron flow via redox provide energy for ATP synthesis via:**
 1. **Substrate level phosphorylation**
 2. **Oxidative phosphorylation**
 3. **Photophosphorilation**
- **Ecological diversity:** interactions between organisms and their environments
- **Phylogenetic diversity:** evolutionary relationships between organisms

Microbial Ecology

- Study of the **interactions** of microorganisms with their **environment (including organic matter)**, **each other**, and plant and animal species (**other organisms**) —> symbioses, biogeochemical cycles and the interaction of microbes with anthropogenic effects such as pollution and climate change
- Competitions for space
- Competitions for resources (i.e. nutrients, organic matter, energy)
- Predations


Bottom-up & Top-down control, I

- **Top-down:** Ecological scenario in which the abundance or biomass of organisms is mainly determined **by mortality owing to predation**
- **Bottom-up:** Ecological scenario in which the abundance or biomass of organisms is mainly determined **by a lack of resources and mortality owing to starvation**
- **Carrying capacity** the maximum microbial biomass that can be sustained




Bottom-up & Top-down control, II

- **Bottom-up (nutrient supply)** and **Top-down (protistan grazing, viral lysis, and antagonistic reaction and bacterial predators)** processes are known to influence and **control microbial community composition and diversity in time and space**
- **Viruses and protists (less studied antagonistic reactions and bacterial predators)** can;
 1. Directly impact bacterial communities: either through their **host specific lysis and size selective grazing respectively**
 2. Indirectly **through the alteration of organic pools by mortality processes**
- Bottom-up (**nutrients, organic matter, energy availability, salinity, pH**) influence the **growth** and the **physiological state** of the microbial community




Microbial Life on Earth

Merino et al., 2019



- Earth is bursting with life, and its **biosphere** extends from ~**10 km altitude** to ~**10 km into the oceans and oceanic crust** as well as ~**5 km into the continental crust**
- **Biospheric capacity equivalent to ~1% of Earth's geosphere and troposphere** → a minimum **biospheric volume** of ~ 10^{10} km^3

Pressure, temperature, salinity, pH and light define microbial habitat on Earth



**HOW MANY
MICROBES ARE ON
PLANET EARTH?**


GOOGOL?

Googol (10^{100})


10, 000, 000, 000, 000,
000, 000, 000, 000, 000,
000, 000, 000, 000, 000,
000, 000, 000, 000, 000,
000, 000, 000, 000, 000,
000, 000, 000, 000, 000,
000, 000, 000, 000

NOT SO MANY!

Microbial abundance in Earth ecosystems



Microbes are everywhere




Checinska Sielaff et al., 2019

Comparison of ISS environmental microbiome with microbiomes of Earth

- Principal coordinates analysis of unweighted UniFrac distances from the Earth Microbiome Project [16S rRNA gene, V4], the Hospital Microbiome Project, Qiita study, and the Office Succession Study depicting a PC1 vs. PC2 and b PC1 vs. PC3
- The Hospital Microbiome Project and Office Succession Study are composed predominantly built environment samples (e.g., walls, floors, etc.)
- All three ISS flight sample sets group with the built environment samples: **The primary separation along PC1 is environmental or plant associated samples vs. animal surface, secretion, or built environment. The primary separation along PC3 is whether a sample is associated with the animal gut**


Earth microbial co-occurrence network reveals interconnection pattern across microbiomes



8 taxonomy distinct modules linked with different environments, which featured environment specific microbial co-occurrence relationships

From Microscale to Macroscale (*e.g.* Global scale, Human Scale, Ecosystem scale)

Microbial dynamics depend on the relative timescales between environmental fluctuations and microbial responses



Timescale of environmental fluctuation (T_e) and the timescale of a microbial response (T_m)

Elemental abundances by mass

McKay, 2014

							Bacteria (<i>E. coli</i>), %	
1		Cosmic, %		Earth's crust, %		Humans, %		
1	H	70.7	O	46.6	O	64	O	68
2	He	27.4	Si	27.7	C	19	C	15
3	O	0.958	Al	8.13	H	9	H	10.2
4	C	0.304	Fe	5.00	N	5	N	4.2
5	Ne	0.174	Ca	3.63	Ca	1.5	P	0.83
6	Fe	0.126	Na	2.83	P	0.8	K	0.45
7	N	0.110	K	2.59	S	0.6	Na	0.40
8	Si	0.0706	Mg	2.09	K	0.3	S	0.30
9	Mg	0.0656	Ti	0.44	Na	0.15	Ca	0.25
10	S	0.0414	H	0.14	Cl	0.15	Cl	0.12

Microbes transform elements

Microbes move cycle elements

Microbes change the redox state of the elements




Implication for
ecosystem functioning

Ecosystem & Ecosystem services

Ecosystems consist of organisms, their environments, and all of the **interactions among the organisms and environments**

The organisms are members of populations and communities and are adapted to habitats —> species richness and abundance

Ecosystem services: outputs, conditions, or processes of natural systems that directly or indirectly benefit humans or enhance social welfare



<https://www.millenniumassessment.org/en/index.html>

Microbes drive ecosystem services

Table 1 | Major groups of microbes and ecosystem services they provide.

Microbial group	Process	Ecosystem service	Ecosystem service category
Heterotrophic bacteria/archaea	Organic matter breakdown, mineralization	Decomposition, nutrient recycling, climate regulation, water purification	Supporting and regulating
Photoautotrophic bacteria	Photosynthesis	Primary production, carbon sequestration	Supporting and regulating
Chemo(litho)autotrophic	Specific elemental transformations (e.g., NH_4^+ , S_2^- , Fe_2^+ , CH_4 oxidation)	Nutrient recycling, climate regulation, water purification	Supporting and regulating
Unicellular phytoplankton	Photosynthesis	Primary production, carbon sequestration	Supporting and regulating
Archaea	Specific elemental transformation (e.g., metals, CH_4 formation, NH_4^+ oxidation), often in extreme habitats.	Nutrient recycling, climate regulation, carbon sequestration	Supporting and regulating
Protozoa	Mineralization of other microbes	Decomposition, nutrient recycling, soil formation	Supporting
Fungi	Organic matter breakdown and mineralization	Decomposition, nutrient recycling, soil formation, primary production (i.e., mycorrhizal fungi)	Supporting
Viruses	Lysis of hosts	Nutrient recycling	Supporting
All	Production of metabolites (e.g., antibiotics, polymers), degradation of xenobiotics, genetic transformation, and rearrangement	Production of precursors to industrial and pharmaceutical products	Provisional
All	Huge diversity, versatility, environmental and biotechnological applications	Educational purposes, getting students interested in science	Cultural

*The last column depicts the ecosystem service category as was defined in the Millennium Ecosystem Assessment (2005).
Modified from Ducklow, 2008.*

Microbial ecosystem services

Tiny microbes keep the ecosystem functioning

BEST ENVIRONMENTAL ENGINEERS


HOW, WHEN, WHERE?

Microbial ecosystem services

Tiny microbes keep the ecosystem functioning

BEST ENVIRONMENTAL ENGINEERS

HOW, WHEN, WHERE?



HOW: small scale interaction with molecules and microbes (producing O₂ & degrading/respiring organic matter)


Microbial ecosystem services

Tiny microbes keep the ecosystem functioning

BEST ENVIRONMENTAL ENGINEERS

HOW, WHEN, WHERE?

HOW: small scale interaction with molecules and microbes (producing O₂ & degrading/respiring organic matter)



WHEN: Always, since the beginning of life and still changing

Microbial ecosystem services

Tiny microbes keep the ecosystem functioning


BEST ENVIRONMENTAL ENGINEERS

HOW, WHEN, WHERE?


HOW: small scale interaction with molecules and microbes (producing O₂ & degrading/respiring organic matter)

WHEN: Always, since the beginning of life and still changing

WHERE: in every environment





From Microscale to Macroscale (e.g. Global scale, Human Scale, Ecosystem scale)



**Microbes=Metabolism=Biogeochemical
cycles of element in
environment=Functioning Earth**

Microbes as structuring force on Earth


Humans as structuring force on Earth



- Humans as pervasive shaping forces
- Massive environmental anthropization of Earth
- Great acceleration:
 1. Socio-economic trends
 2. Earth System natural process
 3. Earth System not-natural processes

Anthropocene


Steffen et al., 2011



...unfortunately the limit is not even more the sky


Microbiology in the Anthropocene

Gillings & Paulsen, 2014




- Human influences on microbial ecology and evolution
- Suggested date of 1953 for the start of the Great Acceleration is based on the publication of DNA structure ([Watson and Crick, 1953](#)) and the increased frequency of nuclear tests during that year (see [Crutzen and Stoermer, 2000](#))

Microbes are everywhere and are shaping our Earth




Soil as a microbial environment




- Microbial biomass (approximation), the sum of all microbial groups: bacteria, fungi, archaea, protists and viruses varies across the globe
- **Biomass can vary** substantially across soils, and the biomass of protists and viruses is highly uncertain
- **>90% of soil viruses seem to be strongly adsorbed** to clays and other soil surfaces
- Unclear what viruses % that are found in soil are even capable of infecting their microbial prey

Microbial diversity in soil




- Highly structured environment
- Micro and macro aggregate
- Water flow

- < 1% of the available soil surface area is typically occupied by microorganisms
- Biotic or abiotic constraints on the microbial colonization of soil surfaces
- >95% of total microbial biomass pool are dormant/inactive at a given point in time




Sediment as a microbial environment

- Structured 3D environment at **high pressure** at **low temperature**
- **Constant flow of organic matter**
- **Steep chemical gradient** → **redox species available** → **metabolism**
- Hydrothermal vents, cold seeps, brines, carcasses as oasis of metabolic diversity (e.g. symbiosis, temperature, relatively fresh organic matter)





Madigan et al. 2018



Madigan et al. 2018

Ocean as a microbial ecosystem

- Photic zone 0-200 m
- More than 96% of ocean is dark and with a constant temperature ($\sim 4^{\circ}\text{C}$)
- Microbes in coastal ocean 1×10^6 cells/mL
- Archaea dominate at depth
- Primary production sustain ocean interior—
> organic matter degradation and sediment too!



Microbial Diversity-Metabolic Diversity

- Coupling of microbial diversity and metabolic diversity keep the ecosystem functioning
- Microbes influence habitability
- Habitability influence microbes
- Habitability is a binary continuum







Figure 15.1 Major functional traits mapped across major phyla of *Bacteria* and *Archaea*. The dendrogram shows relationships between microbial phyla as inferred by analysis of 16S ribosomal RNA gene sequences. Blue branches are used to denote phyla of *Bacteria* and red branches phyla of *Archaea*. Colored circles indicate phyla that contain at least one species with a functional trait indicated in the color key.

Interconnected cycles on Earth

- All nutrient cycles are interconnected
- Nutrient cycles are coupled via biology

Madigan et al. 2018



Redfield ratio or Redfield stoichiometry is the atomic ratio of carbon, nitrogen and phosphorus found in phytoplankton and throughout the deep oceans C:N:P = 106:16:1 (Redfield A.C., 1934)

Microbes are master recyclers

Microbes respire/utilize organic matter and give off nutrients to other organisms

Microbes are the main forces in the biogeochemical cycles of the elements

There are other compounds in the bacteria as well as in humans etc. metals, radioactivity, drugs, pollutants, etc...

Microbes drive ecosystem services

Table 1 | Major groups of microbes and ecosystem services they provide.


Microbial group	Process	Ecosystem service	Ecosystem service category
Heterotrophic bacteria/archaea	Organic matter breakdown, mineralization	Decomposition, nutrient recycling, climate regulation, water purification	Supporting and regulating
Photoautotrophic bacteria	Photosynthesis	Primary production, carbon sequestration	Supporting and regulating
Chemo(litho)autotrophic	Specific elemental transformations (e.g., NH_4^+ , S_2^- , Fe_2^+ , CH_4 oxidation)	Nutrient recycling, climate regulation, water purification	Supporting and regulating
Unicellular phytoplankton	Photosynthesis	Primary production, carbon sequestration	Supporting and regulating
Archaea	Specific elemental transformation (e.g., metals, CH_4 formation, NH_4^+ oxidation), often in extreme habitats.	Nutrient recycling, climate regulation, carbon sequestration	Supporting and regulating
Protozoa	Mineralization of other microbes	Decomposition, nutrient recycling, soil formation	Supporting
Fungi	Organic matter breakdown and mineralization	Decomposition, nutrient recycling, soil formation, primary production (i.e., mycorrhizal fungi)	Supporting
Viruses	Lysis of hosts	Nutrient recycling	Supporting
All	Production of metabolites (e.g., antibiotics, polymers), degradation of xenobiotics, genetic transformation, and rearrangement	Production of precursors to industrial and pharmaceutical products	Provisional
All	Huge diversity, versatility, environmental and biotechnological applications	Educational purposes, getting students interested in science	Cultural

The last column depicts the ecosystem service category as was defined in the Millennium Ecosystem Assessment (2005). Modified from Ducklow, 2008.

Climate Literacy

Essential Principles for Understanding and Addressing Climate Change

A Guide for Educators, Communicators, and Decision-Makers
Third Edition: September 2024



A climate-literate person:

- understands the essential principles of Earth's climate system and the options to address human-caused climate change, which are summarized in this guide;
- recognizes credible information about climate change and knows where to find it;
- communicates about climate change in accurate and effective ways; and
- is able to make informed decisions related to climate change.

MICROBES & CLIMATE

Climate Literacy Essential Principles

1

HOW WE KNOW

Scientists understand the climate system through interdisciplinary observations and modeling.

3

CAUSES

Burning fossil fuels and other human activities are causing the planet to warm.

5

EQUITY

Climate justice is possible if climate actions are equitable.

7

MITIGATION

Reducing emissions of greenhouse gases from human activities to net zero by 2050 can help limit global warming and climate change impacts.

2

CLIMATE CHANGE

Greenhouse gases shape Earth's climate.

4

IMPACTS

Rapid warming and other large-scale climate changes threaten human and ecological systems.

6

ADAPTATION

Humans can adapt social, built, and natural environments to better withstand the impacts of climate change.

8

HOPE AND URGENCY


A livable and sustainable future for all is possible with rapid, just, and transformational climate action.

Climate Literacy


Essential Principles for Understanding and Addressing Climate Change

A Guide for Educators, Communicators, and Decision-Makers

Third Edition: September 2024



Microbes regulating EARTH climate




Microbes have prominent roles related to climate change via their metabolisms

They produce and consume the three dominant gases that are responsible for 98% of the increased warming: carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O)

Photo- or chemoautotrophic growth (cyanobacteria, algae, nitrifiers), methanotrophy (methane oxidizers), and nitrous oxide reduction (denitrifiers) use these gases

Carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O)



Mitigation of carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O)

- **Geoengineering solutions to stock CO₂**
- *Managing landfill CH₄ emission —> coupling with bioreactors for new product production or heat and designing new landfill with methanotrophs*
- **Reducing CH₄ emission from cattle (rumen microbes) —> changing societal culture for raising livestock**
- *Sequestering C via CH₄ from wastewater treatment facilities —> pyrolytic conversion*
- **NO_x mitigation, N₂O is a product of ammonia oxidation in oxic conditions, in anoxic condition is produced by coupling NO reduction to oxidation of e- donors (Fe, S, organics by the denitrifiers) —> estuaries, soils, landfills, wastewater bioreactors —> to force efficient denitrification**